

Spare Parts Heki 1


Complete Frames

| Standard colours | Code |
|-----------------------|------|
| RAL 1015 ivory * | 12 |
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|----------|------------|
| 01 | Frame for acrylic dome with permanent air-flow | 540E01 | 1 |
| 01 | Frame for acrylic dome without permanent air-flow | 541E01 | 1 |
| 15 | Exterior frame with permanent air-flow | 550E01 | 1 |
| 15 | Exterior frame with permanent air-flow | 551E01 | 1 |
| 30 | Complete interior frame | 560E01 | 1 |

Important: When ordering specify - description, colour, quantity.

Parts see pages 5/7, 6/7 & 7/7.



* = only for manufacturers


Sparts Parts Heki 1

Glazing Frame

| Standard colours | Code |
|-----------------------|------|
| RAL 1015 ivory * | 12 |
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|----------|------------|
| 02 | Glazing frame without fixing parts | 540E02 | 1 |
| 03 | Glazing panel (acrylic dome) | 540E03 | 1 |
| 04 | Handle, complete | 540E04 | 1 |
| 05 | Glazing complete with handles | 540E11 | 1 set |
| 06 | Glazing frame aluminium profile incl. assembly parts | 540E13 | 1 set |
| 08 | Seal without permanent air flow (new version), 5 m | 540E12 | 1 |
| 09 | Seal with permanent air flow, 5 m | 540E07 | 1 |
| 11 | Guide plates / buffer inclusive assembly parts | 540E14 | 1 set |

Important: When ordering specify - description, colour, quantity.



* = only for manufacturers


Spare Parts Heki 1

Exterior Frames

| Standard colours | Code |
|-----------------------|------|
| RAL 1015 ivory * | 12 |
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|----------|------------|
| 16 | Exterior frames without fixings | 550E16 | 1 |
| 18 | Drive mechanism | 550E18 | 1 pair |
| 19 | Drive shaft | 550E19 | 1 pair |
| 20 | Gear box of crank/handle for roof thickness 27-59 mm | 550E2001 | 1 |
| 21 | Crankshaft, short version for roof thickness up to 55 mm) | 550E25 | 1 |
| 22 | Crankshaft, long version for roof thickness up to 60 mm) | 550E26 | 1 |
| 23 | Crank incl. assembly parts | 550E27.. | 1 |
| 24 | Seal without permanent air-flow | 540E06 | 5 m |
| 26 | Seal with permanent air-flow | 540E07 | 5 m |
| 27 | Seal, exterior frame (frame to roof) | 550E23 | 5 m |
| 28 | Exterior frame aluminium profile incl. assembly parts | 550E28 | 1 set |

Important: When ordering specify - description, colour, quantity.



* = only for manufacturers


Spare Parts Heki 1

Interior Frames

| Standard colours | Code |
|-----------------------|------|
| RAL 1015 ivory * | 12 |
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|---------------------------------|----------|------------|
| 31 | Interior frames without fixings | 560E31 | 1 |
| 32 | Rollo side tracks | 560E32 | 1 pair |
| 33 | Complete fly net | 560E33 | 1 |
| 34 | Complete blind | 560E34.. | 1 |
| 35 | Ventilation profiles | 560E35.. | 1 set |
| 36 | Mounting set interior frame | BG1088.. | 1 set |
| 37 | Spring motor | FM 1002 | 1 |

Important: When ordering specify - description, colour, quantity, wall thickness.



* = only for manufacturers


Spare Parts Heki 2 de Luxe

Acrylic Dome

| Standard colours | Code |
|-----------------------|------|
| RAL 1015 ivory * | 12 |
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|----------|------------|
| 01 | Glazing panels without fixings | 570E01 | 1 |
| 05 | Hinge with fixings | 570E05 | 1 |
| 10 | Operating bar with fixing | 570E10 | 1 |
| 15 | Stay support, left and right-hand with clamps | 570E35 | 1 set |
| 20 | Stay with fixings | 570E20 | 1 |
| 27 | Cover | 570E27 | 1 set |
| 30 | Glazing panels with fixings (Pos. 01 to 27) | 570E30 | 1 |

Important: When ordering specify - description, colour, quantity.




Spare Parts Heki 2 De Luxe

Exterior Frame

| Standard colours | Code |
|------------------|------|
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|-------------|------------|
| 01 | Exterior frame without fixings | 590 E 01... | 1 |
| 05 | Brush profile* | 590 E 05 | 1 |
| 10 | Brush * | 590 E 10 | 1 |
| 15 | Fixing with screws (wall thickness 25-32 mm), grey | ZUB 1347 | 1 set |
| 16 | Fixing with screws (wall thickness 32-39 mm), black | ZUB 1348 | 1 set |
| 17 | Fixing with screws (wall thickness 39-46 mm), yellow | ZUB 1349 | 1 set |
| 18 | Fixing with screws (wall thickness 46-53 mm), blue | ZUB 1350 | 1 set |
| 19 | Fixing with screws (wall thickness 53-60 mm), red | ZUB 1351 | 1 set |
| 25 | Closing brackets for operating bar | 590 E 25 | 1 set |
| 30 | Complete exterior frame (pos. 01/15/25) | 590 E 30... | 1 |

Important: When ordering specify - description, colour, quantity.



* = until 10/98
 ** = only for manufacturers


Spare Parts Heki 2 de Luxe

Interior Frame (with lighting)

| Standard colours | Code |
|------------------|------|
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|------------|------------|
| 02 | Interior frame with fixing screws | 580 E 0225 | 1 |
| 06 | Complete flynet read to fix | 580E06 | 1 set |
| 11 | Complete blind ready to fix | 580E12L7 | 1 set |
| | Spring motor (without picture) | FM 82 | 1 |
| 26 | Ventilation profile and lighting cover | ZB102625 | 1 set |
| 29 | Socket with cables (without lamp) | 580E29 | 1 set |
| 31 | Complete interior frame (incl. Pos. 01 to 25) | 580E3525 | 1 |

Important: When ordering specify - description, colour of fly net, quantity.




Spare Parts Heki 2

Acrylic Dome

| Standard colours | Code |
|-----------------------|------|
| RAL 1015 ivory * | 12 |
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|----------|------------|
| 01 | Glazing panels without fixing | 570E01 | 1 |
| 05 | Hinge with fixings | 570E05 | 1 |
| 10 | Operating bar with fixing | 570E10 | 1 |
| 15 | Stay support, left and right-hand with clamps | 570e35 | 1 set |
| 20 | Stay with fixings | 570E20 | 1 |
| 27 | Cover | 570E27 | 1 set |
| 30 | Glazing panel with (Pos. 01 to 27) | 570E30 | 1 |

Important: When ordering specify - description, colour, quantity.



* = only for manufacturers


Spare Parts Heki 2

Exterior Frame

| Standard colours | Code |
|------------------------|------|
| RAL 1015 ivory ** | 12 |
| RAL 7035 light grey ** | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|-----------|------------|
| 01 | Exterior frame without fixings | 590E01... | 1 |
| 05 | Brush profile* | 590E05 | 1 |
| 10 | Brush* | 590E10 | 1 |
| 15 | Fixing with screws (wall thickness 25-32 mm), grey | ZUB1347 | 1 set |
| 16 | Fixing with screws (wall thickness 32-39 mm), black | ZUB1348 | 1 set |
| 17 | Fixing with screws (wall thickness 39-46 mm), yellow | ZUB1349 | 1 set |
| 18 | Fixing with screws (wall thickness 46-53 mm), blue | ZUB1350 | 1 set |
| 19 | Fixing with screws (wall thickness 53-60 mm), red | ZUB1351 | 1 set |
| 25 | Closing brackets for operating bar | 590E25 | 1 set |
| 30 | Complete exterior frame (pos. 01/15/25) | 590E30... | 1 |

Important: When ordering specify - description, colour, quantity.



* = until 10/98

** = only for manufacturers


Spare Parts Heki 2

Interior Frame

| Standard colours | Code |
|-----------------------|------|
| RAL 1015 ivory * | 12 |
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|-----------|------------|
| 01 | Interior frame with fixing screws | 580E01... | 1 |
| 05 | Complete flynet ready to fix ** | 580E05 | 1 set |
| 10 | Complete blind ready to fix** | 580E10... | 1 set |
| 15 | Holding bracket | 580E15 | 1 set |
| 20 | Spring motor | FM0082 | 1 |
| 25 | Ventilation profile | 560E35... | 1 set |
| 30 | Complete interior frame (incl. Pos. 01 to 25) | 580E30... | 1 |

Important: When ordering specify - description, colour, quantity.




* = only for manufacturers

** = model without locking-seesaw: Exchange of Pos. 05 and 10 at the same time.

Spare Parts Heki 3 / 3plus Glass Panel

| | Description | Part No. | Pack. Unit |
|----|---|----------|------------|
| 01 | Glazing panels without fixings assembly parts | BG1274 | 1 |
| 05 | Hinge with fixings | BG1275 | 1 |
| 10 | Connection plates with fixings | BG1276 | 1 |
| 15 | Guide plates with fixings | BG1277 | 1 |
| 20 | Fixing profile complete | BG1278 | 1 |
| 25 | Glazing panel with assembly parts (Pos. 01 to 20) | BG1279 | 1 |

Important: When ordering specify - description, colour, quantity.




Spare Parts Heki 3 / 3plus

Exterior Frame

| Standard colours | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|----------|------------|
| 01 | Exterior frame | BG 1256 | 1 |
| 05 | Drive mechanism (without axle-drive shaft) | BG 1257 | 1 pair |
| 10 | Axle-drive shaft for Heki3 | BG 1258 | 1 pair |
| 15 | Gear box of crank/handle, i = 1: 1 | 550E2001 | 1 |
| 20 | Seal without ventilation | 540E12 | 5 m |
| 25 | Seal with ventilation | 540E07 | 5 m |
| 30 | Profile seal | 550E23 | 5 m |
| 35 | Hinge device | BG 1259 | 1 set |
| 40 | Fixing with screws (wall thickness 25-32 mm), grey | ZUB 1347 | 1 set |
| 45 | Fixing with screws (wall thickness 32-39 mm), black | ZUB 1348 | 1 set |
| 50 | Fixing with screws (wall thickness 39-46 mm), yellow | ZUB 1349 | 1 set |
| 55 | Fixing with screws (wall thickness 46-53 mm), blue | ZUB 1350 | 1 set |
| 60 | Fixing with screws (wall thickness 53-60 mm), red | ZUB 1351 | 1 set |
| 65 | Complete exterior frame (pos. 02 to 40) | BG 1260 | 1 |

Important: When ordering specify - description, colour, quantity, wall thickness, ventilation (Y/N).



* = only for manufacturers


Spare Parts Heki 3 / 3plus

Interior Frame

| Standard colours | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|---------------|------------|
| 01 | Interior frame for Heki 3 (without assembly parts) | not available | |
| 02 | Interior frame for Heki 3plus (without assembly parts) | BG 1720 | 1 |
| 05 | Cover interior frame | BG 1262 | 1 set |
| 10 | Cover for handle | BG 1263 | 1 |
| 15 | Spring clip | BG 1113 | 1 set |
| 20 | Seesaw with spring | BG 1264 | 1 |
| 25 | Crank/handle with assembly parts | BG 1265 | 1 |
| 30 | Drive pinion | BG 1266 | 1 |
| 35 | Link for wall thickness 25-32, 32-39, 39-46, 46-53 or 53-60mm | BG 1267 | 1 |
| 40 | Fluorescent lamp 12V/8 Watt | BG 1268 | 1 |
| 45 | Aufnahme für Leuchtmittel | BG 1269 | 1 set |
| 50 | Elektronik-Vorschaltgerät | BG 1591 | 1 |
| 55 | Flynet/blind for Heki 3 (ready to install) | BG 1271 | 1 set |
| 56 | Flynet/blind for Heki 3plus (ready to install) | BG 1721 | 1 set |
| 60 | Blind for Heki 3 (ready to install) | BG 1272 | 1 set |
| 61 | Blind for Heki 3plus (ready to install) | BG 1722 | 1 set |
| 65 | Spring motor | FM 1002 | 1 |
| 70 | Ventilation profile and lamp cover (Version with lighting) | ZB1026 | 1 set |
| | Ventilation profile and lamp cover (Version without lighting) | ZB1029 | 1 set |
| 75 | Interior frame for Heki 3 complete (pos. 01 - 70) | not available | |
| 76 | Interior frame for Heki 3 complete (pos. 02 - 70) | BG 1678 | 1 |

Important: When ordering specify - description, colour, wall thickness, quantity.




* = only for manufacturers

Spare Parts Heki 4 / 4plus Glazing Panel

| | Description | Part No. | Pack. Unit |
|----|--|----------|------------|
| 01 | Glazing panels without assembly parts | BG1274 | 1 |
| 05 | Hinge with fixings | BG1275 | 1 set |
| 10 | Connection plates with fixings (pos. 15 & 25) | BG1331 | 1 set |
| 15 | Guide plates with fixings | BG1277 | 1 set |
| 20 | Fixing profile complete | BG1278 | 1 set |
| 25 | Magnet for connection plates | BG1596 | 1 set |
| 30 | Glazing panel complete with assembly parts (pos. 01 to 25) | BG1333 | 1 |

Important: When ordering specify - description, colour, quantity.




Spare Parts Heki 4 / 4plus Exterior Frame

| Standard colours | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|------------------------------|----------------------|
| 01 | Exterior frame without assembly parts | BG1256 | 1 |
| 05 | Drive mechanism (without axle-drive shaft) | BG1283 | 1 pair |
| 10 | Axle-drive shaft | BG1258 | 1 pair |
| 15 | Gearbox, i = 1:18 | BG1284 | 1 |
| 20 | Electronic control (cardboard) model 2002 | not available anymore | |
| | Electronic control (cardboard) - update to model 2005, version of remote control see spare part list interior frame | BG1576 | 1 reconstruction set |
| 21 | Electronic control (cardboard) model 2005, version of remote control see spare part list interior frame | BG1593 | 1 |
| 30 | Holding device for motor | BG1336 | 1 |
| 35 | Electric motor (interference suppressed) | BG1594 | 1 |
| 36 | Emergency crank | BG1338 | 1 |
| 40 | Rain sensor | BG1595 | 1 |
| 45 | Seal without ventilation | 540E12 | 5 m |
| 50 | Seal with ventilation | 540E07 | 5 m |
| 55 | Profile seal | 550E23 | 5 m |
| 60 | Hinge device | BG1259 | 1 set |
| 65 | Fixing with screws (wall thickness 25-32 mm), grey | ZUB1347 | 1 set |
| 70 | Fixing with screws (wall thickness 32-39 mm), black | ZUB1348 | 1 set |
| 75 | Fixing with screws (wall thickness 39-46 mm), yellow | ZUB1349 | 1 set |
| 80 | Fixing with screws (wall thickness 46-53 mm), blue | ZUB1350 | 1 set |
| 85 | Fixing with screws (wall thickness 53-60 mm), red | ZUB1351 | 1 set |
| 90 | Exterior frame complete (01-85) | BG1341 | 1 |

Important: When ordering specify - description, colour, quantity, version remote control (see interior frame).



* = only for manufacturers


Spare Parts Heki 4 / Heki 4plus

Interior frame

| Standard colours | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|------------------------------|------------|
| 01 | Interior frame Heki 4 (without assembly parts) | not available anymore | |
| 02 | Interior frame Heki 4plus (without assembly parts) | BG1720 | 1 |
| 05 | Cover interior frame | BG1262 | 1 set |
| 10 | Cover for electric drive with pilot lamp handle and receiver | BG1588 | 1 |
| 15 | Spring clip | BG1113 | 1 set |
| 20 | Seesaw with spring | BG1264 | 1 |
| 25 | Remote control model 2002 (see picture) | not available anymore | |
| | Remote control model 2005 incl. electronic control (update to model 2005) | BG1576 | 1 |
| 26 | Remote control with batteries (model 2005) | BG1592 | 1 |
| 30 | Electronic-control (cardboard of interior frame with plug and cardboard – spare parts price list exterior frame pos. 20) | BG1589 | 1 |
| 40 | Fluorescent lamp 12V/8 Watt | BG1590 | 1 |
| 45 | Socket for lighting | BG1269 | 1 set |
| 50 | Electrical previous switchbox | BG1591 | 1 |
| 55 | Flynet/blind Heki 4 (ready to install) | BG1271 | 1 set |
| 56 | Flynet/blind Heki 4plus (ready to install) | BG1721 | 1 set |
| 60 | Blind Heki 4 (ready to install) | BG1272 | 1 set |
| 61 | Blind Heki 4plus (ready to install) | BG1722 | 1 set |
| 65 | Spring motor | FM1002 | 1 |
| 70 | Ventilation profile and lamp cover (Version with lighting) | ZB1026 | 1 set |
| | Ventilation profile and lamp cover (Version without lighting) | ZB1029 | 1 set |
| 75 | Interior frame, cpl. (01-70), Heki 4 | not available anymore | |
| 76 | Interior frame, cpl. (01-70), Heki 4plus | BG1724 | 1 |

Important: When ordering specify - description, colour, wall thickness, quantity, version remote control.




* = only for manufacturers

Spare Parts Midi-Heki Glazing Dome (all versions)

| | Description | Part No. | Pack. Unit |
|----|---|----------|------------|
| 01 | Glazing panel without assembly parts | BG 1512 | 1 |
| 05 | Hinge with fixings | BG 1513 | 1 set |
| 10 | Connection plates with fixings for version with operating bar | BG 1514 | 1 set |
| 11 | Connection plates with fixings for crank / electrical version | BG 1704 | 1 set |
| 15 | Spring | BG 1515 | 1 set |
| 20 | Operating bar with fixings | BG 1516 | 1 |
| 25 | Glazing panel cpl. with fixings for version with operating bar (pos. 01 to 20) | BG 1390 | 1 |
| 26 | Glazing panel cpl. with assembly parts for crank / operating version (pos. 01, 05, 11)) | BG 1476 | 1 |

Important: When ordering specify – description, colour, quantity, roof thickness.




Spare Parts Midi-Heki Exterior Frame (Version with Bar)

| Standard colours | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream white | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|----------|------------|
| 01 | Exterior frame (without assembly parts) | BG1517 | 1 |
| 10 | Cover exterior frame cpl. with assembly parts (left/right) | BG1518 | 1 set |
| 15 | Hook with assembly parts (left/right) | BG1519 | 1 set |
| 20 | Spring (left/right) | BG1520 | 1 set |
| 25 | Seal | BG1521 | 5 m |
| 30 | Button with spring | BG1522 | 1 |
| 35 | Spring (only for version with free ventilation) (left/right) | BG 1713 | 1 set |
| 40 | Mounting blocks with screws (wall thickness 25 to 29 mm) | ZUB1376 | 1 set |
| 45 | Mounting blocks with screws (wall thickness 30 to 34 mm) | ZUB1377 | 1 set |
| 48 | Mounting blocks with screws (wall thickness 35 to 42 mm) | ZUB1378 | 1 set |
| 50 | Mounting blocks with screws (wall thickness 43 to 52 mm) | ZUB1379 | 1 set |
| 55 | Mounting blocks with screws (wall thickness 53 to 60 mm) | ZUB1380 | 1 set |
| 80 | Exterior frame cpl. (01- 30) | BG1391 | 1 |

Important: When ordering specify - description, colour, quantity, roof thickness.




* = only for manufacturers

Spare Parts Midi-Heki Exterior Frame crank / electrical version

| Standard colour | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream white | 25 |

| | Description | Part No. | Pack. Unit |
|----|--|----------------------------------|------------|
| 01 | Exterior frame (without assembly parts) | BG 1517 | 1 |
| 10 | Cover for crank version cpl. with assembly parts (left/right) | BG 1705 | 1 Satz |
| 11 | Cover for electrical version cpl. with assembly parts (left/right) | BG 1706 | 1 Satz |
| 15 | Hook with assembly parts (left/right) M1 | BG 1707 | 1 Satz |
| 20 | Spring (left/right) | BG 1520 | 1 Satz |
| 25 | Seal (only for version without free ventilation) | BG 1521 | 5 m |
| 26 | Spring (only for version with free ventilation) (left/right) | BG 1713 | 1 Satz |
| 30 | Cover for button | BG 1710 | 1 |
| 35 | Flynet for Art. 1371 (flynet, cord and installtion kit) | only as complete frame available | |
| 40 | Gearing mechanism cpl. for crank version | BG 1716 | 1 |
| 41 | Gearing mechanism cpl. for electrical version | BG 1717 | 1 |
| 44 | Stay with assembly part (left/right) | BG 1714 | 1 Satz |
| 45 | Flexible shaft cpl. with assembly parts | BG 1708 | 1 |
| 50 | Motor shielded | BG 1594 | 1 |
| 55 | Mounting blocks with screws 25 to 29 mm | ZUB1376 | 1 Satz |
| 60 | Mounting blocks with screws 30 to 34 mm | ZUB1377 | 1 Satz |
| 65 | Mounting blocks with screws 35 to 42 mm | ZUB1378 | 1 Satz |
| 70 | Mounting blocks with screws 43 to 52 mm | ZUB1379 | 1 Satz |
| 75 | Mounting blocks with screws 53 to 60 mm | ZUB1380 | 1 Satz |
| 80 | Exterior frame cpl. crank version (01 – 55 without 11 / 41) | BG 1474 | 1 |
| 85 | Exterior frame cpl. electrical version (01 – 55 without 10 / 40) | BG 1478 | 1 |

Important: When ordering specify – description, colour, quantity, roof thickness.




* = only for manufacturers

Spare Parts Midi-Heki Interior Frame (Version with Bar)

| Standard colour | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream white | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|----------|------------|
| 01 | Interior frame without assembly parts | BG1523 | 1 |
| 05 | Cover for interior frame (ready to install) | BG1524 | 1 set |
| 10 | Clamps | BG1113 | 1 set |
| 21 | Cord control cpl. side (ready to install) | BG1715 | 1 set |
| 24 | Fly net,- Darkening system cpl. (ready to install) incl. side and end rod | BG2577.. | 1 |
| 25 | Ventilation grids | 560E35.. | 1 set |
| 30 | Interior frame cpl. (01-25) | BG1392 | 1 |

Important: When ordering specify – description, colour, roof thickness, quantity.




* = only for manufacturers

Spare Parts Midi-Heki Interior Frame (Crank / Electrical Version)

| Standard Colour | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream white | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|----------|------------|
| 01 | Interior frame without assembly parts | BG1523 | 1 |
| 05 | Cover for interior frame (ready to install) | BG1524 | 1 set |
| 10 | Clamps | BG1113 | 1 set |
| 21 | Cord control cpl. side (ready to install) | BG1715 | 1 set |
| 24 | Fly net,- Darkening system cpl. (ready to install) incl. side and end rod | BG2577.. | 1 |
| 25 | Ventilation grids | 560E35.. | 1 set |
| 30 | Cover interior frame cpl. with assembly parts (crank version) | ZB1088.. | 1 |
| 35 | Cover interior frame cpl. with assembly parts (electr. version) | ZB1076.. | 1 |
| 40 | Interior frame cpl. for crank version (pos. 01-25 +30) | BG1479 | 1 |
| 45 | Interior frame cpl. for electrical version (pos. 01-25 +35) | BG1709 | 1 |
| | Emergency-Kit | BG1570 | 1 Set |

Important: When ordering please specify - description, colour, roof thickness, quantity.




* = only for manufacturers

Spare Parts Mini-Heki plus

| Standard colours | Code |
|-----------------------|------|
| RAL 7035 light grey * | 09 |
| RAL 9001 cream | 25 |

| | Description | Part No. | Pack. Unit |
|----|---|-------------|------------|
| 01 | Glass complete (without seal, with hinge bolt) | BG 1423 | 1 |
| | Glass complete (with seal and hinge bolt) | BG 1424 | 1 |
| 05 | Seal | BG 1327 | 1 |
| 10 | Bow with fixing parts | BG 1328 | 1 |
| 11 | Safety parts for operating bar | BG 1726 | 1 |
| 15 | Push button | BG 1329 | 1 |
| 20 | Interior frame complete (with rollo) | BG 1804 | 1 |
| 25 | Mounting frame cpl. for roof thickness 25-42 mm, RAL 7035 | BG 14470901 | 1 |
| | Mounting frame cpl. for roof thickness 43-60 mm, RAL 7035 | BG 14470902 | 1 |
| | Mounting frame cpl. for roof thickness 25-42 mm, RAL 9001 | BG 14472501 | 1 |
| | Mounting frame cpl. for roof thickness 43-60 mm, RAL 9001 | BG 14472502 | 1 |
| 30 | Spring clamp for interior frame | BG 1113 | 1 set |

Important: When ordering specify - description, colour of frame, colour of fly net, quantity, roof thickness, type of ventilation (with or without free ventilation).




* = only for manufacturers

Spare Parts Mini-Heki S **

| | |
|----------------------|------|
| standard colour | code |
| RAL 9001 cream-white | 25 |

| | Description | Part no. | Pack. Unit |
|----|--|----------|------------|
| 01 | Glazing panel cpl. (with handles and assembly parts) | BG2331 | 1 pc. |
| 05 | Exterior frame | BG2332 | 1 pc. |
| 10 | Rubber buffer | BG2333 | 1 set |
| 15 | Metal legs (with safety bolt) | BG2334 | 1 set |
| 20 | Handles (with assembly parts) | BG2337 | 1 set |
| 25 | Interior frame cpl. (with blinds) | BG1804 | 1 pc. |
| 30 | Mounting frame cpl., for roof thickness 23-42 mm, RAL 9001 | BG2335 | 1 pc. |
| | Mounting frame cpl., for roof thickness 43-60 mm, RAL 9001 | BG2336 | 1 pc. |
| 35 | Clamps | BG1113 | 1 set |

Important: When ordering specify: Quantity, description, colour of frame and roof thickness.



** = only for caravans