

# › Product Guide - Motorhome, caravan, van & minivan accessories

2021





## › Bring your life

Whether it's exploring spectacular nature in the great outdoors or travelling the world with family and friends, we all have a passion for enjoying an active life.

At Thule, we share your desire to spend more time enjoying our passions - which means less time worrying about how to bring all the stuff we need. In this catalogue we've collected all our recreational vehicle accessories, but that's just a small part of everything that's Thule. Thule is also a part of Thule Group, a collection of international brands that have one common mission: develop smart ways to simplify your active life.

Wherever your passion takes you, whatever you're bringing.  
With Thule products, you're free to live your active life to the full.



# 04

## Awnings

Create a shelter

Wall-mounted Awnings	12
Roof-mounted Awnings	24
Rail-mounted Awnings	28
Accessories	30



# 34

## Smart Panels

Create more privacy

Sun Blocker G2	38
Rain Blocker G2	40
View Blocker G2	42
Windscreen	43
Smart Panels for vans and minivans	44



# 46

## Tents

Create more outdoor living space

Tents for long stay	52
Tents for short stay	58
Accessories	62



# 64

## Bike Racks

Take along 2 or more bikes

Black Edition	68
Rear Wall-mounted Bike Racks	72
Garage-mounted Bike Racks	82
A-frame-mounted Bike Racks	88
Rear Door-mounted Bike Racks	94
Accessories	100



# 104

## Storage

Perfect ways to store your belongings

Organizers	108
Fixation systems	109
Boxes	111



# 112

## Comfort & Security

Optimal safety and security during your trip

Roof rack for vans	116
Ladders	122
Steps	124
Ventilation	126
Levelers	128
Locks	129

# 136

## Technical Specifications





## › Awnings

Thule awnings are designed to provide shade on sunny days and to serve as a shelter on rainy days. We offer a wide range of awnings with unique features in order to fit any vehicle type.



## A solution for every vehicle

Travelling with your recreational vehicle means freedom: you can go wherever you want, whenever you want. Make a stop at the most wonderful places and enjoy outdoor life. A Thule awning is the perfect way to have a sheltered space next to your vehicle and it also provides shade and protection against the weather elements. You can easily mount awning accessories for different purposes in just a few simple steps! Thule offers awnings in 3 different categories to perfectly fit your vehicle and personal needs.



### Wall-mounted Awnings

- Most common installation on the vehicle wall
- Large range of adapters available, developed together with and approved by RV manufacturers, to fit any vehicle type
- Easy mounting in the awning rail of a caravan



### Roof-mounted Awnings

- Installation on top of the RV
- Selection of adapters for specific manufacturer's models and most popular vans available
- Better integrated on the current RV design
- Alternative in case of lack of space or width restrictions



### Rail-mounted Awnings

- Easy installation, no brackets needed: fits into the caravan rail
- Not permanent: you can still switch between awning and canopy
- Very light compared to the wall and roof awnings

## Why choose a Thule awning?



### Ease of use

Manual awnings have a telescopic hand crank for opening and motorised awnings have a remote control or a switch for effortless opening. Thanks to the Thule Quick Release system, the support legs can be released on demand to prevent them from falling during the set-up. All support legs are dropped vertically to reduce the risk of damaging your vehicle. Easily adjust the legs to the right heights with the user-friendly Thule Quick Lock system.



### Superior product stability

Thule Omnistor awnings are equipped with sturdy tension arms in combination with an innovative support of the roller tube to create a perfectly tensioned awning fabric. They also increase resistance to wind for safer usage. Depending on the awning type, lengths from 3.75 m and more are supplied as standard with an integrated tensioning system or with an extra tension rafter to keep the fabric even tighter. All our awnings are tested in various weather conditions for optimal stability.



### Appealing design


Thule Omnistor awnings have a timeless design that perfectly match any vehicle type. Depending on your awning type, you have the choice between following cassette finishes: anodised, white, anthracite or cream.

### A leading brand in awnings for years



### Wide range of accessories

Thule offers different accessories to extend your awning to suit your lifestyle. For example the Thule Smart Panels are the perfect solution if you want to create privacy and in the meantime be protected from weather elements such as sun, rain and wind. Add more outdoor living space by using a Thule awning tent.



### Preferred awning brand


Thule is the elected best brand in awnings for years. Thule has a large range of installation brackets and adapters available, developed together with and approved by the recreational vehicles manufacturers.

ADVICE - In case of rain, put one support leg lower so that the water can easily drain off

# Awning finishes

## Cassette finishes

All Thule Omnistor awnings are made of sturdy aluminium profiles that guarantee long lasting safety and reliability. Thule awnings are tested under the toughest conditions to ensure they surpass current standards.



Anodised

White

Anthracite

Cream

NOTE - Cassette finishes Anthracite and Cream are only available with fabric finish Mystic Grey (31). Please refer to each awning type to find out the possible cassette and fabric finishes

## Fabric finishes

The top quality PVC fabric is printed on both sides and has a coating to keep the fabric colour fixed, watertight, washable and durable. Depending on your awning type, you can choose different patterns for your awning fabric.



31 - Mystic Grey

32 - Sapphire Blue

22 - Uni White

07 - Uni Grey

NOTE - Uni White (22) is available on request with a longer delivery time

## UV Protection


The coating not only ensures a high degree of scratch and fade-resistance, but also increases UV and heat-resistance.



## Long lasting reliability

Top quality PVC fabric composed of 5 layers to ensure the awning is watertight, washable, durable and resistant to scratches.

- 1 - PVC top coat: ensures colour protection and scratch resistance
- 2 - Vinyl with printed pattern
- 3 - Strong layer in polyester scrim





## Awnings - Line at-a-glance

### Wall-mounted Awnings



**Thule Omnistor 5200**



- Anodised
- White
- Anthracite



**Thule Omnistor 8000**



- Anodised
- White
- Cream
- Anthracite



**Thule Omnistor 4900**



- Anodised
- White
- Anthracite



**Thule Omnistor 5102**



- Light Grey
- Anthracite



**Thule 3200**



- Anthracite
- Anodised/Anthracite

### Roof-mounted Awnings



**Thule Omnistor 6300**



- Anodised
- White
- Anthracite



**Thule Omnistor 9200**



- Anodised
- White
- Cream

### Rail-mounted Awnings



**Thule Omnistor 1200**



- White

## Wall-mounted Awnings Thule Omnistor 5200

### The new standard for RV awnings

Thule Omnistor 5200 awning perfectly fits any vehicle type. Its design and look match the contemporary recreational vehicle designs and is better integrated on the vehicle sides. The awning is available in 8 lengths from 1.92 m to 5.02 m with a maximum projection of 2.50 m.

#### Operated manually or with a motor

An optional 12 VDC motor with manual override allows you to operate awning lengths from 3.00 m and more without any effort. The motor can easily be installed retrofit as an accessory on a manual Thule Omnistor 5200 awning (+ 1 kg).

#### Perfect fabric tension

Sturdy spring arms with patented integrated tension arms ensure a perfectly tensioned awning fabric for increased wind resistance. The patented tension arms are standard integrated for awning lengths from 4.02 m and more and are optional for a 3.02 m or 3.52 m awning length.



### Add to your Thule Omnistor 5200

**Smart Panels** - See p.34

**Tents** - See p.46

See more accessories  
p.30 to 33




Thule Omnistor 5200 - Manual

Thule Omnistor 5200 - Motorised



# Wall-mounted Awnings Thule Omnistor 5200



**Optional motor kit** -  
See p.14

**Thule Tent LED Mounting Rail** -  
An optional tent rail covers the gap under the awning which means that the wall adapters are no longer visible. This rail has two functions, you can either install a Thule awning tent or/and add a Thule LED Strip.

**Optimal closing** -  
See p.14

**Thule Quick Lock System** -  
User-friendly system to help you set up and adjust the support legs to the right heights.

**Thule 3<sup>rd</sup> Support Leg** -  
Integrated fixation for an optional 3<sup>rd</sup> support leg to ensure a higher stability.

**Perfect fabric tension** - Sturdy spring arms with patented integrated tension arms ensure a perfectly tensioned awning fabric for increased wind resistance. The patented tension arms are standard integrated for awning lengths from 4.02 m and more and are optional for a 3.02 m or 3.52 m awning length.

**Easy cleaning** - Equipped with its own drainage system in the front profile. This is convenient in case of rain but also when cleaning the fabric once or twice a year with the Thule PVC Cleaner.

**Thule Quick Release support legs** -  
The support legs are very easy to unlock and store by operating them at the outside and no longer at the center of the awning. The support legs are dropped vertically from the lead rail to prevent damaging the vehicle wall.

## CASSETTE FINISHES

- Anodised
- White
- Anthracite



User instruction



# Wall-mounted Awnings Thule Omnistor 5200



**Thule Motor Kit TO 5200** - An optional 12 VDC motor with manual override mechanism allows you to operate awning lengths from 3.00 m and more without any effort. Control is made with a switch through one touch command. The motor can easily be installed retrofit. Only 1 kg additional weight and 3 cm additional length compared to a manual awning.



**Thule Pitch System** - The incline of the awning fabric can be set as you please to easily open the door of your vehicle without touching the awning fabric.

**Optimal closing** - An easy roller tube adjustment system on the side opposite to the gear assures a perfect closing of the cassette, even after years of usage.





## Wall-mounted Awnings Thule Omnistor 8000

### Largest wall awning on the market

Thule Omnistor 8000 awnings are available in 5 lengths from 4.00 m to 6.00 m with a projection of 2.75 m. The awning cassette is available in anodised, white, cream and anthracite.

#### Operated manually or with a motor

The optional 230 VAC motor with remote control allows you to operate the awning without any effort. Settings are programmed digitally to ensure a perfect closing of the front profile. A safety device has been created to operate the awning in case of electricity failure. The motor can easily be installed retrofit as an accessory on a manual Thule Omnistor 8000 awning (+2 kg).

#### Perfect fabric tension

Thanks to Thule's unique integrated tension rafter in the spring arm, the fabric is always well tensioned. The spring arm, reinforced with a double steel cable, automatically deploys the tension rafter to ensure the awning stays stable and resistant to wind.

### + Add to your Thule Omnistor 8000

**Smart Panels** - See p.34

**Tents** - See p.46

See more accessories  
p.30 to 33



Thule Omnistor 8000 - Manual

Thule Omnistor 8000 - Motorised



# Wall-mounted Awnings Thule Omnistor 8000



**Optional 230 VAC motor** - A remote control allows you to operate the awning without any effort.

**Perfect fabric tension** - Thanks to Thule's unique integrated tension rafter in the spring arm, the fabric is always well tensioned.

**Easy cleaning** - Equipped with its own drainage system in the front profile. This is convenient in case of rain but also when cleaning the fabric once or twice a year with the Thule PVC Cleaner.

**Thule Quick Lock System** - User-friendly system to help you set up and adjust the support legs to the right heights.

## CASSETTE FINISHES

- Anodised
- Anthracite
- White
- Cream



User instruction Motorised



## Wall-mounted Awnings Thule Omnistor 4900



### The lightweight awning

The Thule Omnistor 4900 awning is available in 5 lengths from 2.60 m to 4.50 m with a maximum projection of 2.50 m. The awning cassette is available in anodised, white and anthracite.

#### Lightness and stability

The awning is equipped with a small roller tube support which results in a huge weight reduction, while being stable and having an optimal fabric tension. Awning lengths 4.00 m and 4.50 m have a tension rafter supplied as standard.

#### Smart innovations

The oval support legs are dropped vertically to reduce the risk of damaging the vehicle wall.

#### Optimal closing

An easy roller tube adjustment system on the side opposite to the gear assures a perfect closing of the cassette, even after years of usage.



### Add to your Thule Omnistor 4900

**Smart Panels** - See p.34

**Tents** - See p.46

See more accessories  
p.30 to 33



Thule Omnistor 4900 - Manual



#### CASSETTE FINISHES

- Anodised
- White
- Anthracite



## Awning packs for vans and minivans



### Thule Omnistor 4900 + Ford Transit/Tourneo Custom Adapter

Complete set with Thule Omnistor 4900 awning and adapters to fit Ford Transit/Tourneo Custom vans.

#### FEATURES

- Suitable for Ford Transit and Ford Tourneo Custom vans
- The set is available with a Thule Omnistor 4900 awning with length 2.60 m (fabric finish: 31 - Mystic grey)
- For vehicles with a lift roof
- Quick and easy installation by blind assembly (requires no access from the inside)
- The awning is not removable

■ 301776 - 2.60 x 2.00 m (LHD)  
Anthracite

■ 301777 - 2.60 x 2.00 m (RHD)  
Anthracite



### Thule Omnistor 4900 + PSA Minivan Adapter

Complete set with Thule Omnistor 4900 awning and adapters to fit PSA minivans from 2016.

#### FEATURES

- Suitable for Citroën Spacetourer, Peugeot Traveller and Toyota Proace
- The set is available with a Thule Omnistor 4900 awning with length 2.60 m (fabric finish: 31 - Mystic grey)
- The maximum height is less than 2 meters
- For vehicles with a lift roof
- Quick and easy installation by blind assembly (requires no access from the inside)
- The awning is still removable
- The adapter must be mounted on the roof according to the prescribed instructions, the mounting requires no rail
- Perfect finish and integration with the vehicle thanks to the black plastic adapter covers

■ 301769 - 2.60 x 2.00 m (LHD)  
Anthracite

■ 301770 - 2.60 x 2.00 m (RHD)  
Anthracite



### Thule Omnistor 4900 + Volkswagen T5/T6 Adapter

Complete set with Thule Omnistor 4900 awning and adapters to fit Volkswagen T5/T6 vans.

#### FEATURES

- Suitable for Volkswagen T5/T6 models without any rail
- The set is available with a Thule Omnistor 4900 awning with length 2.60 m or 3.00 m (fabric finish: 31 - Mystic grey)
- For vehicles with a lift roof
- Quick and easy installation by blind assembly (requires no access from the inside)
- The awning is not removable
- The adapter must be mounted on the roof according to the prescribed instructions, the mounting requires no rail

■ 301772 - 2.60 x 2.00 m (LHD)  
Anthracite

■ 301773 - 3.00 x 2.50 m (LHD)  
Anthracite

■ 301774 - 2.60 x 2.00 m (RHD)  
Anthracite

■ 301775 - 3.00 x 2.50 m (RHD)  
Anthracite

## Wall-mounted Awnings Thule Omnistor 5102

### Small awning conceived for Volkswagen T5/T6

The Thule Omnistor 5102 awning is developed together with and approved by Volkswagen. Comes in a standard length of 2.60 m with a projection of 2.00 m and is available in the colours light grey and anthracite.

#### Easy installation

Its easy installation makes it the perfect fit for city living. Mounted to the existing roof rails using the supplied adapter.

#### Living space

Increase your living space with 5 m<sup>2</sup> by adding a Thule Residence G3 awning tent, especially created for the Thule Omnistor 5102 awning.

#### Colour harmony

Two cassette colours are available in order to increase the harmony of your Volkswagen. Anthracite matches the bumper and door handles of your minivan.



### Add to your Thule Omnistor 5102

**Smart Panels** - See p.34

**Tents** - See p.46

See more accessories  
p.30 to 33



Thule Omnistor 5102 - Manual



# Wall-mounted Awnings Thule Omnistor 5102



**Thule Quick Lock System** - User-friendly system to help you set up and adjust the support legs to the right heights.

NOTE - The supplied adapter is only suitable for VW Multivan.  
For VW California ask your Volkswagen dealer for more information  
NOTE - Only for short wheel base models

## CASSETTE FINISHES

-  Light Grey
-  Anthracite



## Wall-mounted Awnings Thule 3200

### Manual roll-up box awning for compact vehicles

The Thule 3200 awning is available in 5 lengths from 1.90 m to 3.00 m with a projection of 2.50 m. The awning cassette is available in completely anthracite finish or anodised with anthracite bottom and black end caps.

#### Mounting

Ideal for direct mount on selected range of minivans and roof rack installation on cars. The awning brackets need to be bought separately.

#### One-person operation

The awning can be set up by only one person. Open the cassette and take out the tension arms. Roll out the awning manually and set up the support legs. At last, connect the tension arms with the support legs and create tension.

#### Large projection

All awning lengths have a projection of 2.50 m, the largest projection on the market within its category.



### Add to your Thule 3200

Smart Panels - See p.34

See more accessories  
p.30 to 33



Thule 3200 - Manual



# Wall-mounted Awnings Thule 3200



New

Awnings

**One person operation -**  
Open the cassette and unroll  
the awning manually.



**Perfect stability -**  
Well designed end parts  
give the awning a high  
quality standard and a  
perfect wind resistant.

**Mounting -** Thanks  
to sturdy profiles the  
awning can be mounted  
directly on the vehicle  
with brackets or  
onto a roof rack.

**Exclusive fabric tensioning  
system -** with pump-buckle  
technology.

**Design -** Contemporary look  
which perfectly integrates with  
any vehicle design.

**Projection -** Largest awning  
projection of 2.50 m on the  
market within its category,  
for all lengths.

**Thule Quick Lock System -**  
User-friendly system to help you  
set up and adjust the support  
legs to the right heights.

**Accessories -** Large range of  
accessories available: smart  
panels, strap kit, etc.



## CASSETTE FINISHES

 Anthracite

 Anodised/Anthracite



User  
instruction



## Roof-mounted Awnings Thule Omnistor 6300

### Universal roof awning in a contemporary design

The Thule Omnistor 6300 roof awning is available in 9 lengths from 2.60 m to 5.00 m with a maximum projection of 2.50 m. The awning cassette is available in anodised, white and anthracite.

#### Operated manually or with a motor

An optional 12 VDC motor with manual override allows you to operate awning lengths from 3.00 m and more without any effort. The motor can easily be installed retrofit as an accessory on a manual Thule Omnistor 6300 awning (+ 1 kg).

#### Perfect fabric tension

Sturdy spring arms with patented integrated tension arms ensure a perfectly tensioned awning fabric for increased wind resistance. The patented tension arms are standard integrated for awning lengths from 3.75 m and more and are optional for awning lengths: 3.00 m, 3.25 m and 3.50 m.



### Add to your Thule Omnistor 6300

**Smart Panels** - See p.34

**Tents** - See p.46

See more accessories  
p.30 to 33



Thule Omnistor 6300 - Manual

Thule Omnistor 6300 - Motorised



# Roof-mounted Awnings Thule Omnistor 6300



## CASSETTE FINISHES

- Anodised
- White
- Anthracite



User instruction Manual



User instruction Motorised



## Roof-mounted Awnings Thule Omnistor 9200

### The perfect roof awning for extra large vehicles with a projection of 3 meters

The Thule Omnistor 9200 awning has been designed to perfectly integrate with any vehicle design. The awning is available in 5 lengths from 4.00 m to 6.00 m and is especially convenient for large vehicles. The awning is equipped with an anti-rattling device to enjoy a smoother ride.

#### Operated manually or with a motor

The optional 230 VAC motor with remote control allows you to operate the awning without any effort. Settings are programmed digitally to ensure a perfect closing of the front profile. A safety device has been created to operate the awning in case of electricity failure. The motor can easily be installed retrofit as an accessory on a manual Thule Omnistor 9200 awning (+2 kg).

#### Perfect fabric tension

Thanks to Thule's unique integrated tension rafter in the spring arm, the fabric is always well tensioned. The spring arm, reinforced with a double steel cable, automatically deploys the tension rafter to ensure the awning stays stable and resistant to wind.



### Add to your Thule Omnistor 9200

**Smart Panels** - See p.34

**Tents** - See p.46

See more accessories  
p.30 to 33



Thule Omnistor 9200 - Manual

Thule Omnistor 9200 - Motorised



# Roof-mounted Awnings

## Thule Omnistor 9200



**Design** - Perfectly integrated with any vehicle design. Improved masking and finish of the technical parts.

**Easy and safe** - The optional 230 VAC motor with remote control allows you to operate the awning without any effort. Settings are programmed digitally to ensure a perfect closing of the front profile.

**Perfect fabric tension** - Sturdy spring arms ensure the awning fabric is perfectly tensioned. They also increase resistance to wind for safer usage. The spring arm, reinforced with a double steel cable, automatically deploys the tension rafter to ensure the awning stays stable and resistant to wind.

**Thule Quick Lock System** - User-friendly system to help you set up and adjust the support legs to the right heights.




**CASSETTE FINISHES**

- Anodised
- White
- Cream



User instruction Motorised



## Rail-mounted Awnings Thule Omnistor 1200

### Stability and large projection for a bag awning

The Thule Omnistor 1200 bag awning is available in 11 lengths from 2.30 m to 5.50 m with a maximum projection of 2.50 m.

### Easy and fast set-up of the awning

The awning is stored in a PVC-sleeve with a sewn rope which simply slides into the caravan rail. Open the sleeve and unroll the awning. The simultaneous swing-out of the support legs and tension arms enables an easy and fast set-up.

### Exclusive fabric tensioning system

With pump-buckle technology. Extremely user-friendly: click back and forwards to ensure the awning fabric is perfectly tensioned.

### TO 1200 in combination with a Thule awning tent

The Thule Omnistor 1200 fits the Thule QuickFit tent by using an optional kit. The Thule Awning Fixation Kit TO 1200 consists of several profiles to slide into the integrated kador attached at the inner side of the awning bag.



### Add to your Thule Omnistor 1200

**Smart Panels** - See p.34

**Tents** - See p.46

See more accessories  
p.30 to 33



Thule Omnistor 1200



# Rail-mounted Awnings

## Thule Omnistor 1200



**Support kit -**  
A clever integrated tension leg support kit spreads the load safely on the caravan wall. This all fits into a small white bag.

**Exclusive fabric tensioning system -**  
With pump-buckle technology.

**Perfect stability -**  
Awning lengths from 3.50 m and more have an integrated fixation for an optional 3<sup>rd</sup> support leg which ensures a higher stability. Awning lengths from 4.00 m and more have a tension rafter supplied as standard.

**Easy and fast set-up -**  
The awning is stored in a PVC-sleeve with a sewn rope which simply slides into the caravan rail. Open the sleeve and unroll the awning.

**Thule Quick Lock System -**  
User-friendly system to help you set up and adjust the support legs to the right heights.

**BAG FINISH**

White



User instruction



## Awnings - Accessories

### Lighting



#### Thule Tent LED Mounting Rail TO 6300

This profile can be slid at the bottom of the Thule Omnistor 6300 | 6200 | 9200 roof awning cassette. Provided with a channel to slide a Thule tent or the Thule organizers in and has additional space for a Thule LED Strip. The LED Light can be used both when the awning is opened or closed.

- Length: 4.00 m

301664  
Anthracite

NOTE - Only compatible with Thule LED Strip Sideways



#### Thule Tent LED Mounting Rail TO 5200

This aluminium profile covers the adapters and is provided with a channel to slide a Thule tent or the Thule Organizers in and has additional space for a Thule LED Strip. The LED light can be used both when the awning is opened or closed.

- Available in different lengths
- Colours: anthracite, anodised and white



#### Thule LED Mounting Rail TO 6300/6200/9200

306777 - Profile to fit the opening in the bottom of the Thule Omnistor 6300 | 6200 | 9200 roof awning cassette for the installation of a Thule LED Strip. The minimum required distance between the roof and the underside of the awning must be 12 mm.



#### Thule LED Strip Sideways

Long lasting and waterproof (IP65) LED strip to offer strong natural sideways light (60 power LEDs per meter). The flexible unit can be shortened each 5 cm and is delivered with a 3M tape on the back to stick to most standard surfaces.

- Voltage: 12 VDC
- Consumption: 340-380 mA per metre
- Length: 4.00 m

301660  
Anthracite



#### Thule LED Strip

Long lasting and waterproof (IP65) LED strip to offer strong warm white light (60 power LEDs per meter). The flexible unit can be shortened each 5 cm and is delivered with a 3M tape on the back to stick to most standard surfaces.

- Voltage: 12 VDC
- Consumption: 340-380 mA per metre
- 307135 - 4.00 m / 307136 - 5.00 m / 307137 - 6.00 m

White



## Awnings - Accessories

### Awnings motorisation



#### Thule Motor Kit TO 5200

Retrofit motor kit (12 VDC) for Thule Omnistor 5200 awning lengths from 3.00 m and more. Includes a switch with one touch command.

- Weight: 1 kg




#### Thule Motor Kit TO 8000/9200

Retrofit motor kit (230 VAC) for awnings Thule Omnistor 8000 | 9200. Includes a remote control and relay.

##### Thule Omnistor 8000



##### Thule Omnistor 9200




#### Thule Motor Kit TO 6300

Retrofit motor kit (12 VDC) for Thule Omnistor 6300 awning lengths from 3.00 m and more. Includes a switch with one touch command.

- Weight: 1 kg



### Sealings



#### Thule Sealing Rubber

Ensures that the gap between the vehicle and wall awning is sealed when using a flat adapter. Fitted with an integrated drainage system.

- Length: 4.00 m
- 307960 - For series Thule Omnistor 5 & 8 - small 5 cm
- 307961 - For series Thule Omnistor 5 & 8 - large 8 cm
- 306892 - For Thule Omnistor 4900 - medium 6 cm



#### Thule EPDM

308697 - Black EPDM foam strip with closed cell structure to seal the gap between the vehicle and a roof-mounted awning.

- Length: 2 x 2.00 m
- Thickness: 25 mm
- Width: 30 mm



#### Thule Gutter

This self-adhesive drainage system fits most caravans and motorhomes.

- 307947 - Length: 3.50 m
- 307967 - Length: 4.50 m

## Awnings - Accessories

### Wind protection



New




### Thule Fabric Clamps

309698 - These clamps provide a more secure fastening between the awning fabric and the tension rafter or blocker rafter to prevent the unpleasant noise of a flapping awning fabric due to wind. The clamps have an universal fitting on most rafter profiles, just click it on the rafter, put the fabric in between and tighten with the handle.

#### FITS

- Oval side blocker rafter
- Thule Tension Rafter G2
- Square telescopic tension rafter TO 1200

NOTE - A set contains 2 clamps.  
You can use up to 2 clamps on one side of the awning



### Thule Tension Rafter G2

An additional rafter ensures an optimal tensioned awning fabric for a better wind resistance. The rafter is made from durable anodised aluminium profiles in combination with high impact plastics. No heavy manpower is needed for the installation.

\*Fits only at the side of the awning, not at the middle

#### Easy installation in only 3 steps

- 1 - Open your awning.
- 2 - Place the rafter into the awning. This is effortless thanks to the smooth integrated spring.
- 3 - Slightly roll-up the awning fabric until the rafter is blocked. Perfect tension is reached when the two black parts touch each other.

	Projection	Awning type	Ref.
Thule Tension Rafter G2 Wall	2.00 m*	TO 5200   4900   5003   5002	307307
Thule Tension Rafter G2 Roof		TO 6300   6200   6002	307308
Thule Tension Rafter G2 Wall	2.50 m	TO 5200   4900   5003   5002	307309
Thule Tension Rafter G2 Roof		TO 6300   6200   6002	307310
Thule Tension Rafter G2 TO 1200		TO 1200	307311
Thule Tension Rafter G2 Wall/Roof	2.75 m	TO 8000   6900	307312
Thule Tension Rafter G2 Roof	3.00 m	TO 9200	307313

## Awnings - Accessories

### Wind protection



#### Thule Hold Down Side Strap Kit

307916 - This kit prevents the awning and tent from being damaged due to high wind. The two straps are attached to the support legs and can easily be used with a Thule tent or the Thule Smart Panels.

#### Thule 3<sup>rd</sup> Support Leg

306778 - To reinforce the longer lengths of awning tents in combination with a rafter. Cannot be used in combination with the Thule QuickFit tent. Can be installed on all awning types from 3.75 m on, except TO 4900 and TO Caravan Style.



#### Thule Hold Down Kit

307906 - This kit strengthens your awning to prevent it from flying away. It is installed over the awning length between the spring arms and the fabric.



#### Thule Tension Arm Set TO 5200

301295 - Optional tension arm set to increase the wind resistance for Thule Omnistor 5200 awning lengths 3.02 m and 3.52 m. Included for the longer awning lengths. See p.12



#### Thule Tension Arm Set TO 6300

302095 - Optional tension arm set to increase the wind resistance for Thule Omnistor 6300 awning lengths 3.00 m, 3.25 m and 3.50 m (not suitable for awning length 2.60 m). Included for the longer awning lengths. See p.24

### Maintenance



#### Thule Repair Patch

306486 - To repair small rips in your awning's fabric. Consists of 3 self-adhesive transparent patches of 7.5 x 15 cm.



#### Thule PVC Cleaner

307585 - Ideal for cleaning the awning and tent fabric twice a year. Supplied in a user-friendly spray bottle.





## › Smart Panels

Create additional privacy under your awning by easily attaching one or more smart panels to your awning. Moreover these panels protect you against sun, rain and wind and can be combined in many ways for an optimal protection.



## Smart Panels - Line at-a-glance



Thule Sun Blocker G2 - Front



Thule Sun Blocker G2 - Side



Thule Rain Blocker G2 - Front



Thule Rain Blocker G2 - Side



New

Thule Rain Blocker G2  
Pack Minivan



Thule View Blocker G2 - Side



Thule Windscreen



## Awning fixation Thule Sun Blocker G2

### Protection against the sun

Front and side privacy panels for Thule Omnistor awnings to let the breeze in while keeping the sun out, without losing your view. Available in different sizes depending on your awning length, projection and mounting height.

#### Fabric material

Made of micro-aired screen fabric, a transparent and light screen fabric.

#### Installation

The front panel is suitable for all Thule Omnistor awnings and easily slides into the awning lead rail. The side panel slides into an aluminium rafter installed between the awning's cassette and lead rail. The side panel can be installed on both sides of the awning with the same rafter.

#### Combination with an awning tent

Combine easily the Thule Sun Blocker G2 side panel with a Thule QuickFit awning tent for more comfort. The Thule Sun Blocker G2 front panel can be used in combination with the Thule Residence G3 awning tent with the optional profiles. See p.56 to 61

### + Add to your Thule Sun Blocker Side



#### Thule Fabric Clamps

These clamps provide a more secure fastening between the awning fabric and the blocker rafter to prevent the unpleasant noise of a flapping awning fabric due to wind. See p.32



### Storage

#### Thule Luxury Blocker Bag

301568 - Luxurious black bag to store your tension rafter, panel and fixation material - LxWxH: 130 x 20 x 20 cm.



# Awning fixation Thule Sun Blocker G2



**Installation side panel -**  
The side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail.

**Installation front panel -**  
The front panel slides into the awning lead rail. It can be rolled up and is fixed with a side release buckle.

**Fabric material -**  
Made of micro-aired screen fabric, a transparent and light screen fabric.

**Design -** Thule look in grey and black.

**Strong ground fixation -**  
Pegs and ropes included.


**FIT GUIDE -** See p.140 to 142

## Modular system

Combine easily the Thule Sun Blocker G2 panels with other Smart Panels. The front panels can be rolled up when they are not in use.



User instruction



## Awning fixation Thule Rain Blocker G2

### Protection against rain and wind

Front and side privacy panels for Thule Omnistor awnings to protect against rain and wind. Each panel has a large transparent window keeping the light coming in to create a spacious feeling. Available in different sizes depending on your awning length, projection and mounting height.

#### Fabric material

Made of high quality transparent PVC fabric.

#### Installation

The front panel is suitable for all Thule Omnistor awnings and easily slides into the awning lead rail. The side panel slides into an aluminium rafter installed between the awning's cassette and lead rail. The side panel can be installed on both sides of the awning with the same rafter.

#### Combination with an awning tent

Combine easily the Thule Rain Blocker G2 side panel with a Thule QuickFit awning tent for more comfort. See p.60



### Add to your Thule Rain Blocker Side



#### Thule Fabric Clamps

These clamps provide a more secure fastening between the awning fabric and the blocker rafter to prevent the unpleasant noise of a flapping awning fabric due to wind. See p.32



### Storage

#### Thule Luxury Blocker Bag

301568 - Luxurious black bag to store your tension rafter, panel and fixation material - LxWxH: 130 x 20 x 20 cm.



# Awning fixation Thule Rain Blocker G2



**Installation front panel** - The front panel slides into the awning lead rail. The panels can be connected to each other and to the side panel thanks to the smart connections.

**Installation side panel** - The side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail. The panel is attached to the awning support leg with smart connections.

**Fabric material** - Made of high quality transparent PVC fabric.

**Strong ground fixation** - Pegs, ropes and smart connections included.




**Windslip**

**Practical** - The front panels can be rolled up and are fixed with a side release buckle.

## Thule Rain Blocker G2 Pack Minivan New

Set of 2 side panels and 2 front panels for Thule Omnistor 5102 | 4900 awning lengths 2.60 m mounted on minivans.

### SET INCLUDES



### FITS MINIVANS

- Volkswagen T5/T6 (California, etc.)
- Ford Custom
- Ford Custom Nugget
- Peugeot Traveller, Citroën Spacetourer (Campster), Toyota Proace
- Renault Traffic
- Mercedes Benz V-Klasse Marco Polo
- PSA Minivan > 2016

**FIT GUIDE** - See p.140 to 142

## Modular system

Combine easily the Thule Rain Blocker G2 panels with other Smart Panels. The front panels can be rolled up when they are not in use.



User instruction



## Awning fixation Thule View Blocker G2

### Protection against rain, wind and sun

Side privacy panel for Thule Omnistor awnings to create complete privacy while being protected from rain, wind and sun. The side panel is available in two sizes depending on the mounting height of the awning between 2.25 m and 2.64 m.

#### Fabric material

Made of high quality non-transparent PVC fabric.

#### Installation

The side panel slides into an aluminium rafter with channel installed between the awning's cassette and lead rail. It's attached to the awning support leg with smart connections. The side panel can be installed on both sides of the awning with the same rafter.

**FIT GUIDE** - See p.140 to 142



### + Add to your Thule View Blocker Side



#### Thule Fabric Clamps

These clamps provide a more secure fastening between the awning fabric and the blocker rafter to prevent the unpleasant noise of a flapping awning fabric due to wind. See p.32



### Storage

#### Thule Luxury Blocker Bag

301568 - Luxurious black bag to store your tension rafter, panel and fixation material - LxWxH: 130 x 20 x 20 cm.



# Wall fixation Thule Windscreen



## Protection against wind

Easy to install side panel which lets the light and breeze in while keeping the elements out ensuring privacy.

### Fabric material

Made of micro-aired screen fabric, a transparent and light screen fabric.


### Installation

Easy and quick to set up thanks to its automatic roll in and out system. It can be fixed to the vehicle via wall fixation or slide it into the caravan rail. Unroll it and connect it to the awning support leg or make it free standing with the delivered strap kit.



## Storage

The Thule Windscreen is delivered with a bag for easy storage.



User  
instruction



## Awning fixation Thule Smart Panels for vans

FIT GUIDE - See p.140 to 142 



# Awning fixation Thule Smart Panels for minivans

FIT GUIDE - See p.140 to 142 



Smart Panels






## › Tents

A tent gives you the perfect outdoor living space. The highly versatile range of Thule awning tents offers an option to suit every desire.

# Why choose a Thule Tent?

## Easy installation



### Long stay: Thule Veduta, Thule Panorama or Thule Residence G3

For easy installation, your awning transforms to become your roof, making it quicker to set up your tent. The tent consists of 3 panels: 2 sides and 1 front, all which connect to the awning. The side panels also connect to your vehicle for a perfect sealing. The front panel slides into the awning lead rail, creating a water-resistant room.

## Stability and security



Depending on the awning tent type, Thule uses different durable high quality fabric materials: Airtex, PVC or Ripstop that provide wind and water tightness. Moreover all Thule awning tents are tested in various weather conditions to guarantee optimal stability and security.



## Innovative design



### Short stay: Thule QuickFit

This tent exists of 1 piece and takes only 15 minutes to set up. Slide it in the caravan rail or in an additional rail below your awning cassette and fix it to the awning lead rail. In this way you create a double roof which offers a good insulation to keep the tent and vehicle cool. Side windows are provided with mosquito mesh.

Thule awning tents have a contemporary design in line with the awning design. Thanks to the combination of neutral colours: black, white, grey and silver, they suit all awning fabric colours. Large windows invite maximum light and create an extra feeling of spaciousness. Permanent ventilation openings reduce condensation.

# Modularity

Thanks to the clever design, the awning tents can be installed completely but most of the panels are unzippable and removable to create door openings on different sides.

## Thule Veduta

- The front panel is easy to install as one complete piece with two or three window panels
- The 4 window panels are unzippable
- One panel has two integrated door openings and can be placed anywhere you want



## Thule Panorama

- You can fully remove the large front and side windows or open them vertically to use as a door, or horizontally to let the fresh air in



## Thule Residence G3

- The window panels can be rolled upwards
- Front panels starting from 3.50 m length have a door opening on both sides and can also be rolled up separately for easy entrance
- It is possible to add accessories in the optional rail at the front panel



## Thule QuickFit

- All sides are fully zippable
- They can be taken away to create an open porch, can be opened sideways to create a door on all sides, left or right and can be opened from top to bottom to create an open window





## Tents - Line at-a-glance

Long stay



**Thule Veduta**



**Thule Panorama**



**Thule Residence G3**



Short stay



**Thule Residence G3  
for Ducato I Jumper I Boxer H2**



**Thule Residence G3  
for Eriba Touring**



**Thule Residence G3  
for VW T5/T6**



**Thule QuickFit**



## Tents

# Thule Veduta

### Awning tent especially designed for caravans

The Thule Veduta awning tent is available in four lengths and can only be used in combination with a Thule Omnistor 6300 | 6200 roof awning mounted on a caravan.

#### Installation

The awning tent is delivered with claming profiles to mount the side panels and connect them with the awning fabric for a perfect roof sealing. The side panels slide into the claming profiles and the front panel slides into the awning lead rail. Both panels are combined with a zipper for optimal closing. The sloping front panel offers a large internal living surface and creates an extra feeling of spaciousness.

#### Fabric material

AIRTEX® is perfect for solar protection applications. This light fabric is 100% polyester fabric, which is coated with acrylate on one side and impregnated. The special coating gives AIRTEX® a distinctively textile character.



### Add to your Thule Veduta



#### Thule Curtains

301565 - Easily create more privacy by adding curtains.

See more accessories p.62 to 63

---

**Modularity** - Completely adaptable to all your needs - See p.49



# Tents

## Thule Veduta



New



**Permanent aeration on both sides**

**Clamping profile** - To mount and connect the side panel to the awning fabric.

**Robust insulation** - A double rubber flap attached to the mast profile ensures full sealing with the vehicle wall.

**Mosquito mesh**

**Double windslip**

**Installation** - The side panels easily slide into the clamping profiles and the front panel slides into the awning lead rail. Optimal closing due to zipper connecting the front and side panels.

**Stability** - A diagonal support between the mast and the clamping profile provides extra sturdiness.

**Sloping front panel** - Offers a large internal living surface and creates an extra feeling of spaciousness.

**Fabric** - Made out of Airtex.



User instruction



Modularity

### INCLUDED

- Windslip and wheelcover: prevent the wind from entering through the gap below your vehicle
- 2 luxury storage bags



## Tents

# Thule Panorama

### Awning tent with a high living comfort and stunning view

The Thule Panorama awning tent is available in different sizes depending on your Thule Omnistor awning type, projection and mounting height. Special model available for a Ducato H2 van in combination with the Thule Omnistor 6300 roof awning.

#### Installation

The tent is delivered with clamping profiles to mount the side panels and connect them with the awning fabric for a perfect roof sealing. The side panels slide into the clamping profiles and the front panel slides into the awning lead rail. Both panels are combined with a zipper for optimal closing.

#### Fabric material

AIRTEX® is perfect for solar protection applications. This 200g/m<sup>2</sup> light fabric is a 100% polyester fabric, which is coated with acrylate on one side and impregnated. The special coating gives AIRTEX® a distinctively textile character.



### Add to your Thule Panorama



#### Thule Mosquito

Zippable panel to replace the standard front or side of the Thule Panorama tent. Made of mosquito mesh to create additional ventilation.



#### Thule Curtains

Easily create more privacy by adding curtains. Different sizes available in the colour grey.

See more accessories p.62 to 63


---

**Modularity** - Completely adaptable to all your needs - See p.49



# Tents

## Thule Panorama



**Clamping profile** - To mount and connect the side panel to the awning fabric.

**Permanent aeration on both sides**

**Robust insulation** - A double rubber flap attached to the mast profile ensures full sealing with the vehicle wall.

**Mosquito mesh**

**Fabric** - Made out of Airtex.

**Installation** - The side panels easily slide into the clamping profiles and the front panel slides into the awning lead rail. Optimal closing due to zipper connecting the front and side panels.

**Stability** - A diagonal support between the mast and the clamping profile provides extra sturdiness.




User instruction



Modularity

### INCLUDED

- Windslip: prevents the wind from entering through the gap below your vehicle
- 2 luxury storage bags



## Tents

# Thule Residence G3

### A real living room in the outdoors

The Thule Residence G3 awning tent is available in different sizes depending on your Thule Omnistor awning type, projection and mounting height. Special model available for a Volkswagen T5/T6 Multivan in combination with the Thule Omnistor 5102 awning.

#### Installation

The tent is delivered with clamping profiles to mount the side panels and connect them with the awning fabric for a perfect roof sealing. The side panels slide into the clamping profiles and the front panel slides into the awning lead rail. Both panels are combined with black double-shaped profiles for optimal closing.

#### Fabric material

High quality welded PVC fabric for optimal wind and water tightness in the colours black, grey and white.

#### New Thule Residence G3 for Ducato | Jumper | Boxer H2

New

The Thule Residence G3 awning tent is now also available in different lengths for your Ducato | Jumper | Boxer H2 van in combination with Thule Omnistor 6300 (roof mounted) or Thule Omnistor 5200 awning (wall-mounted).



### Add to your Thule Residence G3



#### Thule Front Connection Profiles

301567 - Double-shaped connection profiles to slide in the integrated rope attached at the upper side of the front panel. Possible to slide a Thule Sun Blocker G2 in to create shade.

See more accessories p.62 to 63


---

**Modularity** - Completely adaptable to all your needs - See p.49



# Tents

## Thule Residence G3



- Permanent aeration on both sides**
- Clamping profile** - To mount and connect the side panel to the awning fabric.
- Robust insulation** - A double rubber flap attached to the mast profile ensures full sealing with the vehicle wall.
- Protection** - The side windows are in mosquito mesh covered with an external transparent blind to protect against rain.



**Installation** - The side panels easily slide into the clamping profiles and the front panel slides into the awning lead rail. Optimal closing due to double-shaped profiles connecting the front and side panels.

**Stability** - A diagonal support between the mast and the clamping profile provides extra sturdiness.

**Fabric** - Made out of PVC.



User instruction



Modularity

### INCLUDED

- Windslip: prevents the wind from entering through the gap below your vehicle (included with front panel)
- 2 luxury storage bags (included with side panels)



NOTE - Front and side panels need to be ordered separately

# Tents

## Thule Residence G3 for Eriba Touring



New

### A real living room in the outdoors

Special Thule Residence G3 model for Eriba Touring caravans in combination with the Thule Omnistor 6300 roof awning with length 3.25 m.

#### Installation

The tent is delivered with clamping profiles to mount the side panels and connect them with the awning fabric for a perfect roof sealing. The side panels slide into the clamping profiles and the front panel slides into the awning lead rail. Both panels are combined with black double-shaped profiles for optimal closing.

#### Fabric material

High quality welded PVC fabric for optimal wind and water tightness in the colours black, grey and white.

#### Modularity

The front panel has a door opening on the right side and can be rolled upwards separately for easy entrance. It is possible to add accessories in the optional rail at the front panel.



### Perfect sealing



A foam with strap guarantees full sealing with the vehicle wall to avoid the wind from entering.

#### INCLUDED

- Windslip and wheelcover: prevent the wind from entering through the gap below your vehicle
- Storage bag



See accessories p.62 to 63



# Tents

## Thule Residence G3 for Volkswagen T5/T6



### A real living room in the outdoors

Special Thule Residence G3 model for Volkswagen T5/T6 Multivan in combination with the Thule Omnistor 5102 awning or the original VW awning.

#### Installation

The tent is delivered with clamping profiles to mount the side panels and connect them with the awning fabric for a perfect roof sealing. The side panels slide into the clamping profiles and the front panel slides into the awning lead rail. Both panels are combined with black double-shaped profiles for optimal closing.

#### Fabric material

High quality welded PVC fabric for optimal wind and water tightness in the colours black, grey and white.

#### Modularity

The front panel has a door opening on the right side and can be rolled upwards separately for easy entrance. It is possible to add accessories in the optional rail at the front panel.



### Perfect sealing



A foam with strap guarantees full sealing with the vehicle wall to avoid the wind from entering.

#### INCLUDED

- Windslip and wheelcover: prevent the wind from entering through the gap below your vehicle
- Storage bag



See accessories p.62 to 63



## Tents

# Thule QuickFit

### Universal fitting on awnings with a projection from 2.50 m

The Thule QuickFit awning tent is available in 3 standard lengths, suitable for different mounting heights and has a special model for the Ducato H2 van.

#### Installation

The tent is in one piece and doesn't need additional fixation profiles. It easily slides into the caravan rail or into an additional rail below the awning cassette, and is fixed to the awning lead rail. The front canopy is installed with flexible arch tubes to provide additional shade.

#### Fabric material

Made out of Ripstop fabric: a lightweight woven and tear-resistant material used for aeronautical engineering. This material also has a strong water resistant coefficient. Because the tent is connected with an awning, the double roof offers a good insulation to keep the tent and vehicle cool.



### Add to your Thule QuickFit



#### Thule Mosquito

Zippable panel to replace the standard front or side of the Thule QuickFit tent. Made of mosquito mesh to create additional ventilation.



#### Thule Side Tensioning Kit

307053 - Set of 2 fiberglass poles to ensure a better sealing of the Thule QuickFit tent with the vehicle wall.

See more accessories p.62 to 63

---

**Modularity** - Completely adaptable to all your needs - See p.49



# Tents

## Thule QuickFit



Fast and easy set up

**Double ceiling** - Created by suspending the tent below the awning fabric to ensure a better ventilation and insulation.

**Mosquito mesh**

**Curtains with zippers**

**Fabric** - Made out of Ripstop.

**Fixation** - The tent is connected to the black fixation parts, which are slid into the awning lead rail.

**Ventilation** - Two permanent ventilation openings allow a perfect air circulation when the tent is closed. The side windows are provided with mosquito mesh.



User instruction




Modularity

### INSTALLATION

Fits into the caravan rail or into an optional rail  
See p.62 - Installation Kits

### INCLUDED

- Windslip: prevents the wind from entering through the gap below your vehicle
- Curtains with zippers
- Storage bag








NOTE - There is no need to cover the full awning length. The tent can easily be combined with Smart Panels

## Tents - Accessories

### Installation kits for Thule QuickFit awning tents

For the installation of the Thule QuickFit awning tent, a caravan rail must be present to slide the tent in. When this is not the case an additional rail is needed. Thule created different ways to easily mount this awning tent on your awning.

	Roof	Wall	Rail
<b>Caravan</b>			
	<b>Original Caravan Rail</b> All roof awnings 	<b>Thule Universal Tent Fixation Kit</b> All wall awnings 307205   307206 	<b>Thule Awning Fixation Kit TO 1200</b> Only TO 1200 307063 
		<b>Thule Tent LED Mounting Rail</b> TO 5200 Only TO 5200 3012XX 	<b>Thule Universal Tent Fixation Kit</b> All bag awnings 307205   307206 
<b>Motorhome - Van</b>			
 	<b>Thule Universal Tent Fixation Kit</b> All roof awnings 307205   307206 	<b>Thule Universal Tent Fixation Kit</b> All wall awnings 307205   307206 	 <b>A - Mounting height</b> 
	<b>Thule Awning Fixation Kit</b> TO 6300/6200/ 9200 Only TO 6300/ 6200/9200 307050 	<b>Thule Tent LED Mounting Rail</b> TO 5200 Only TO 5200 3012XX 	
	<b>Thule Tent LED Mounting Rail</b> TO 6300/6200/ 9200 Only TO 6300/ 6200/9200 301664 		



### Thule Mosquito

Thanks to the modularity of the Thule Panorama and QuickFit tent, all panels can be unzipped and replaced by a panel made of mosquito mesh to create ventilation and to keep dirt and vermin out.

#### Thule Panorama

- 309930 - Thule Mosquito Side
- 309931 - Thule Mosquito Front 4.00 - 6.00 m

#### Thule QuickFit

- 309925 - Thule Mosquito Side
- 309926 - Thule Mosquito Front 2.60 m
- 309927 - Thule Mosquito Front 3.00 m | 3.10 m
- 309928 - Thule Mosquito Front 3.60 m



### Thule Hold Down Side Strap Kit

307916 - This kit prevents the awning and tent from being damaged due to high wind. The straps are attached to both awning support legs.

## Tents - Accessories



### Thule Universal Tent Fixation Kit

4.00 m caravan rail to be glued on the awning cassette or the vehicle wall for the installation of the Thule QuickFit tent.



### Thule Tent LED Mounting Rail TO 6300 | 6200 | 9200

301664 - This 4.00 m profile can be slid at the bottom of TO 6300 | 6200 | 9200 roof awning cassettes. Provided with a channel to slide the Thule QuickFit tent in.



### Thule Front Connection Profiles

301567 - Double-shaped connection profiles to slide in the integrated rope attached at the upper side of the Thule Residence G3 front panel. Possible to slide a Thule Sun Blocker G2 in.



### Thule Awning Fixation Kit TO 1200

307063 - Double-shaped PVC profiles to slide in the integrated rope attached at the inner side of bag awning Thule Omnistor 1200 for the installation of the Thule QuickFit tent.



### Thule Projection Kit

307052 - 8 buckles with strap to mount the Thule QuickFit tent on awnings with a projection from 2.75 to 3.00 m.



### Thule Curtains

Easily create more privacy by adding curtains. Different sizes available depending on tent type, in the colour grey.



### Thule Awning Fixation Kit TO 6300 | 6200 | 9200

307050 - 3 profiles to slide into the opening below the awning cassette TO 6300 | 6200 | 9200. It's glued to prevent sliding. Cannot be combined with a Thule LED Mounting Rail (306777).



### Thule Side Tensioning Kit

307053 - Set of 2 fiberglass poles to ensure a better sealing of the Thule QuickFit tent with the vehicle wall.




### Thule Tent LED Mounting Rail TO 5200

This aluminium profile covers the adapters of Thule Omnistor 5200 wall awning and is provided with a channel to slide the Thule QuickFit tent in.



### Thule Awning Fixation Kit Fiamma

307061 - 8 fixation parts to slide into the front lead rail of Fiamma awnings (5 mm) to mount the Thule QuickFit tent.



### 1 - Thule Windslip

Durable PVC windslip with a sewn kador to close the gap between the vehicle and the ground to prevent the wind from entering.

### 2 - Thule Wheelcover

307397 - Durable PVC wheelcover to cover your wheel to prevent the wind from entering.





## › Bike Racks

No matter which vehicle you have and regardless the type and number of bikes you want to take along, there is a Thule bike rack that perfectly matches your needs and that will exceed your expectations.

## Why choose a Thule Bike Rack?



### Safe and high quality

Thule bike racks are extremely safe for several reasons: made of the highest quality materials, tested to the highest standards in the market and equipped with integrated safety features such as: a platform lock system, shock absorbing components, bike holders with integrated or optional locks, ...



### Load advice

- Load the heaviest bike first and closest to the vehicle
- The lightest bike should be fixed outwards
- Set the bikes crosswise on the carrier to find the best position, rotate the steering wheel 90° if needed
- Always secure all bikes to the bike rack frame using the included safety strap

### Appealing design

Thule bike racks distinguish themselves by their contemporary design that perfectly matches any vehicle.

 **A leading brand in bike racks for years**



### Thule Test Center™

Thule Test Program™ as part of the development process. Product go through extreme testing before they can bear the Thule logo.



## Smart innovations

Each Thule bike rack has smart innovative features making them easy to use and simple to install: wheel holders with pump buckle tensioning system, ergonomic Tilt-Lock system, sliding rails, fast click connections, ...



### Bike holders

Soft touch bike holders with integrated or optional locks.



### Platform lock system

Lockable platform to avoid movement during transport.



### Pump buckle tensioning system

Easy, secured fastening of the bike wheels.



### Tilt-Lock system

Easy to lock the tiltable platform onto the base frame.




### Sliding rails

Sliding rails make it easier to find the best position for your bikes.



### Fast click connections

Fast click connections make the installation easier and faster.



## Designed for outdoor adventures

Add some attitude to your recreational vehicle with the Thule bike rack range in black. The black aluminum frame is paired with black bike holders, creating a bike rack with a design language of its own – and features that will take your bikes anywhere. Made for people who want to have a bike rack with a sporty look.



**Thule Excellent Black**

See p.74



**Thule Caravan Superb XT Black**

See p.90



**Thule Elite Van XT Black**

See p.96



# Bike Racks - Line at-a-glance

## Rear Wall-mounted Bike Racks



**Thule Lift V16**



2 bikes, extendable to 3



**Thule Excellent**



2 bikes, extendable to 4



**Thule Elite G2**



2 bikes, extendable to 4



## Garage-mounted Bike Racks



**Thule VeloSlide**



2 bikes



**Thule Forkmount Adapter kits for VeloSlide**



**Thule Sport G2**



2 bikes, extendable to 3



**Thule Sport G2 Tour**



2 bikes, extendable to 3



**Thule Sport G2 Hobby**



2 bikes, extendable to 3



**Thule Sport G2 Universal**



2 bikes

## Bike Racks - Line at-a-glance

### Garage-mounted Bike Racks



**Thule Sport G2 Garage**



2 bikes, extendable to 4

### Rear Door-mounted Bike Racks



**Thule Elite Van XT**



2 bikes



**Thule Sport G2 Compact**



2 bikes



New

**Thule WanderWay**



2 bikes, extendable to 4



### A-frame-mounted Bike Racks



**Thule Caravan Superb**



2 bikes, extendable to 3



**Thule Caravan Superb XT Black**



2 bikes, extendable to 3



**Thule Caravan Smart**



2 bikes



**Thule Caravan Light**



2 bikes

## Rear Wall-mounted Bike Racks Thule Lift V16

### Bike rack with a height-adjustable platform

This bike rack is attached to the rear wall of a motorhome or caravan and is suitable for the transport of two (electric) bikes thanks to its load capacity up to 50 kg.

#### Easy load and unload

The platform of the bike rack can be lowered by means of a crank, which makes it easier to load and unload the bikes. Choose the motorised version for more ease of use. The 12V motor lowers the platform in just 40 seconds.

#### Safe and stable

Loading and securing the bikes takes no effort thanks to the lowered platform. The adjustable wheel holders keep your bikes in position and are easy to tighten with the straps with pump buckle tensioning system so that the bike wheels are securely fastened. The bike holders are attached to the bike frames and are lockable to prevent theft. You can transport a third bike by adding the optional rail kit.

### Add to your Thule Lift V16



**Thule Lift V16 3<sup>rd</sup> Rail Kit**  
307370 - To position a 3<sup>rd</sup> bike on the bike rack.



**Thule Lift V16 Elongation Kit**  
307371 - Makes it possible to extend the mounting range to 95-150 cm.

See more accessories p.100 to 103



# Rear Wall-mounted Bike Racks

## Thule Lift V16



**Lockable platform** - The platform lock creates excellent dynamic force control and perfectly secures the bikes during transport. The platform is locked manually and can easily be clicked in the upwards position when not in use.

**Bike holders** - Easy mounting of bikes through detachable bike arms with lockable Thule AcuTight torque limiter knobs that click when optimal torque is reached.

**Pump buckles** - The straps with pump buckle tensioning system easily secure the bike wheels.

**Loading** - The platform can bridge a distance of 70 cm in height which makes loading and unloading the bikes easy.

**Wheel holders** - Finding the perfect position for your bike is easy thanks to the adjustable wheel holders. They enable you to transport all kinds of bikes with various sizes.

Closed platform



Open platform



### Thule Lift V16 Manual



307368 - 2 bikes, extendable to 3

### Thule Lift V16 Motor 12V



307369 - 2 bikes, extendable to 3



User instruction



## Rear Wall-mounted Bike Racks Thule Excellent

### Elegant bike rack with a large load capacity

This bike rack is attached to the rear wall of a motorhome or caravan and is available in two models: a standard and short version. Both carriers are perfectly suitable for both regular bikes, mountain bikes and e-bikes thanks to their load capacity up to 60 kg.

#### For each bike

The wide rails are slidable both in depth and from left to right to find the best position for your bikes. The adjustable wheel holders keep your bikes in position and are easy to tighten with the straps with pump buckle tensioning system to firmly secure the bike wheels. The bike holders are attached to the bike frames and are lockable to prevent theft. You can transport a third or fourth bike by adding the corresponding optional rail kits.

#### Finish in black

The standard model is now available completely in black for a sleek and modern look and is extendable with a third and fourth bike with the optional rail kits.

### + Add to your Thule Excellent



#### Thule Excellent 3<sup>rd</sup> Rail Kit

To position a 3<sup>rd</sup> bike on the bike rack. Adjustable in all directions.

309823  
Anodised

302034  
Black



#### Thule Excellent 4<sup>th</sup> Rail Kit

To position a 4<sup>th</sup> bike on the bike rack. Fixed outwards and is not adjustable.

309824  
Anodised

302035  
Black

See more accessories p.100 to 103



# Rear Wall-mounted Bike Racks

## Thule Excellent



**Lockable platform** - The platform lock creates excellent dynamic force control and perfectly secures the bikes during transport. The platform is locked automatically and can easily be clicked in the upwards position when not in use.

**Wheel holders** - Finding the perfect position for your bike is easy thanks to adjustable wheel holders. They enable you to transport all kinds of bikes with various sizes.

**Pump buckles** - The straps with pump buckle tensioning system easily secure the bike wheels.

Extra strong aluminium guarantees stability and reliability.

**Bike holders** - Easy mounting of bikes through detachable bike arms with lockable Thule AcuTight torque limiter knobs that click when optimal torque is reached.

**Sliding rails** - The rails are adjustable in depth and from left to right.



### Thule Excellent Standard

🚲🚲 + 🚲 + 🚲  
2 bikes, extendable to 4

- 309821 Anodised
- 302033 Black

### Thule Excellent Short

🚲🚲 + 🚲 + 🚲  
2 bikes, extendable to 4

- 309822 Anodised



User instruction



## Rear Wall-mounted Bike Racks Thule Elite G2

### The perfect all-round bike rack

This bike rack is attached to the rear wall of a motorhome or caravan and is available in two models: a standard and short version. Both carriers can transport up to 4 bikes with a load capacity up to 60 kg.

#### Load of the bike

Thanks to the sliding rails you can easily find the best position for your bikes. The bike wheels are securely fixed with straps to avoid movement during transport. The bike holders are attached to the bike frames and are optionally lockable to avoid theft. You can take a third or fourth bike with you by adding the optional rail kits.

### + Add to your Thule Elite G2



#### Thule Elite G2 3<sup>rd</sup> Rail Kit

306565 - To position a 3<sup>rd</sup> bike on the bike rack. Adjustable from left to right.



#### Thule Elite G2 4<sup>th</sup> Rail Kit

309824 - To position a 4<sup>th</sup> bike on the bike rack. Fixed outwards and is not adjustable.

See more accessories p.100 to 103



## Rear Wall-mounted Bike Racks

### Thule Elite G2



## Thule Elite G2 One Bike



This model is the same as the standard bike rack with a shorter platform dedicated to transport only one bike with a maximum load capacity of 30 kg. This bike rack has been especially developed to meet the needs of the caravan user to aim for an equal load of two bikes on the caravan: one bike on the rear wall of the vehicle and one on the A-frame.

### Thule Elite G2 One Bike

 302047 - 1 bike

Extra strong aluminium guarantees stability and reliability.

**Bike holders** - Easy mounting of bikes through detachable bike arms with lockable Thule AcuTight torque limiter knobs that click when optimal torque is reached.

**Sliding rails** - The rails are adjustable from left to right. They easily slide to make sure you find the best position for your bikes without effort.

**Lockable platform** - The platform lock creates excellent dynamic force control and perfectly secures the bikes during transport. The platform is locked manually and can easily be clicked in the upwards position when not in use.

**Wheel holders** - Finding the perfect position for your bike is easy thanks to adjustable wheel holders. They enable you to transport all kinds of bikes with various sizes.



### Thule Elite G2 Standard

  +  +  +   
306560 - 2 bikes, extendable to 4

### Thule Elite G2 Short

  +  +  +   
306561 - 2 bikes, extendable to 4



## Rear Wall-mounted Bike Racks Thule Sport G2

### Large range of bike racks for active lives

Find the perfect bike rack for your vehicle type. The Thule Sport G2 bike racks are attached to the rear wall of a motorhome or caravan and are available in different models. With a load capacity up to 50 kg you can easily transport 3 bikes.

#### Load of the bike

Thanks to the sliding rails you can easily find the best position for your bikes. The bike wheels are securely fixed with straps to avoid movement during transport. The bike holders are attached to the bike frames and are optionally lockable to avoid theft. You can take a third bike with you by adding the optional rail kit.

### Add to your Thule Sport G2



#### Thule Sport G2 3<sup>rd</sup> Rail Kit

306577 - To position a 3<sup>rd</sup> bike on the bike rack.



#### Thule E-bike Rail Kit

306945 - To transport one e-bike on a Thule Sport G2 bike rack.

See more accessories p.100 to 103



# Rear Wall-mounted Bike Racks

## Thule Sport G2




Extra strong aluminium guarantees stability and reliability.

**Lockable platform -**  
The platform lock creates excellent dynamic force control and perfectly secures the bikes during transport. The platform is locked manually and can easily be clicked in the upwards position when not in use.

Thule Sport G2 Standard



Thule Sport G2 Short



**Bike holders -** Adjustable soft-touch bike holders can easily be repositioned to align with the bike frame. The bikes can be secured with optional knobs with key lock.

**Straps -** The straps block the bike wheels to avoid movement during transport.

**Sliding rails -** The rails are adjustable from left to right. They easily slide to make sure you find the best position for your bikes without effort.

### Thule Sport G2 Standard




307126 - 2 bikes, extendable to 3

### Thule Sport G2 Short



307127 - 2 bikes, extendable to 3



## Rear Wall-mounted Bike Racks



### Thule Sport G2 Tour

Possible to mount on a curved rear wall of a caravan or motorhome.

#### FEATURES

- Load capacity up to 50 kg
- Bike holders with optional locks
- The rails are adjustable from left to right
- The straps block the bike wheels to avoid movement during transport



306572 - 2 bikes, extendable to 3

#### Add to your Thule Sport G2 Tour



#### Thule Sport G2 3<sup>rd</sup> Rail Kit

306577 - To position a 3<sup>rd</sup> bike on the bike rack.



### Thule Sport G2 Hobby

Suitable for Hobby caravans since 2004.

#### FEATURES

- Load capacity up to 50 kg
- Bike holders with optional locks
- The rails are adjustable from left to right
- The straps block the bike wheels to avoid movement during transport



307128 - 2 bikes, extendable to 3

#### Add to your Thule Sport G2 Hobby



#### Thule Sport G2 3<sup>rd</sup> Rail Kit

306577 - To position a 3<sup>rd</sup> bike on the bike rack.



NOTE - Special adapters available for Hobby caravans as from 2014 and 2015



### Thule Sport G2 Universal


Recommended when space is limited by a window or a bumper. Attached under the base of the caravan.

#### FEATURES

- Load capacity up to 38 kg
- Bike holders with optional locks
- The rails are adjustable from left to right
- The straps block the bike wheels to avoid movement during transport



306563 - 2 bikes





## Garage-mounted Bike Racks Thule VeloSlide

### The smartest and most user-friendly bike rack for your RV garage space

With Thule VeloSlide, you get an ideal rack for transporting up to two e-bikes on your travels, using your RV's garage space to store them securely and protect them from the weather.

#### Loading and unloading couldn't be easier

When loading, the bike rack slides out up to 1.5 meter so you can lift your bike from the outside without having to bend awkwardly into the garage space. Thanks to the unique, patented and easy-to-grip handle, you can slide the rack into the garage space and automatically lock it securely - all with just one hand. When attaching your bikes to the rack you can easily optimise the position of each bike, both horizontally and vertically, with simple intuitive handlings even while the bike is on the rack and with no need for tools.

#### High-quality design

Thanks to the high-quality design and materials, you can be sure of safe, secure transportation of your valuable e-bikes, not to mention comfortable loading and unloading of heavy bikes - even when the bike rack is fully extended by 1.5 meter.



### Add to your Thule VeloSlide



#### Thule Bike Frame Adapter

982003 - Frame adapter for easiest possible fitting of bikes with non-standard frames (e.g. ladies' bikes, downhill bikes).



#### Thule Brake Straps

306566 - By pulling the brakes, sideways movement is prevented and the bikes are more secured on the bike rack.

See more accessories p.100 to 103



# Garage-mounted Bike Racks

## Thule VeloSlide



**New**

**Position bike** - Bike's ideal position can be optimised without tools - even while the bike is already attached to the rack.

**One-handed control** - Unique and patented one-handed control.


**Convenient handling** - The bike rack slides out up to 1.5 meter. Comfortable handling of the bikes, all done while standig outside.

**Bike holders** - Adjustable soft-touch bike holders can easily be repositioned to align with the bike frame.

**Mounting rails** - The rack takes little space when not in use, it can be slid to the side or removed completely only leaving the mounting rails on the garage floor.

### Thule VeloSlide Short

Overall length is 1.80 m; 15 cm shorter than the regular Thule VeloSlide. The bike rack slides out up to 1.35 m.



Bike Racks

### Thule VeloSlide



302014 - 2 bikes

### Thule VeloSlide Short



302044 - 2 bikes



### Mounting

The bike rack is attached to the garage floor with mounting rails - sold separately.

302015 - Mounting Rails: 70 cm

302016 - Mounting Rails: 140 cm



User instruction



NOTE - Please make sure your RV garage is high enough for your bikes

## Garage-mounted Bike Racks

# Thule Forkmount Adapter Kits for Thule VeloSlide



New

### The perfect solution for small garage

The Thule VeloSlide offers a great platform to transport 2 (e-)bikes securely in your garage to protect them from the weather. Thanks to the Thule Forkmount Adapter Kits, the Thule VeloSlide can be used for vehicles with a garage which is limited in height. By replacing the front wheel with the Forkmount axle, you can reduce your bike's height while maintaining all functionality of the Thule VeloSlide !

Two different kits are available to ensure a perfect fit for each specific bike and optimal space efficiency in your garage.



### Add to your Thule Forkmount Adapter Kit

#### Thule Wheel Bag XL

563000 - High-quality bag for the front wheel, with special padding to protect the bike wheel during transport and storage. For wheel sizes up to 29" or 74 cm in diameter.



See more accessories p.100 to 103

**Lower the top point of the bike** - Take off the front wheel and gain the needed space.

**Exchanges front wheel by a replacement axle** - The Quick Release or Thru Axle Adapter replaces the front wheel and connects to the VeloSlide Adapter holder. The type of kit depends on the type of bike.

#### Thule Forkmount Adapter Kit Quick Release

 302053 - 1 bike

#### Thule Forkmount Adapter Kit Thru Axle

 302054 - 1 bike



User instruction



NOTE - Available from February 2021



## Garage-mounted Bike Racks Thule Sport G2 Garage



### Fixed inside the garage compartment

The Thule Sport G2 Garage bike rack is fixed to the inside wall and to the garage floor and is extendable to transport up to 4 bikes. The bike rails easily slide to make sure you find the best position for your bike. Secure your bike frame with the bike holders and the bike wheels with the straps to avoid movement during transport.

Solid attachment of the bike rack to the inside wall and floor of your garage space.



### + Add to your Thule Sport G2 Garage



#### Thule Sport G2 3<sup>rd</sup> + 4<sup>th</sup> Rail Kit

306577 - To position a 3<sup>rd</sup> bike on the bike rack.


306578 - To position a 4<sup>th</sup> bike on the bike rack.

See more accessories p.100 to 103

The platform can easily be clicked in the upwards position when not in use.



306574 - 2 bikes, extendable to 4





## A-frame-mounted Bike Racks Thule Caravan Superb

### Perfect bike rack to transport two e-bikes on the A-frame

The Thule Caravan Superb is mounted on the caravan A-frame and is available in two models: a standard and short version. The standard version is suitable for normal A-frames and the short version is suitable for both short and normal A-frames. Perfect to take along two heavy bikes with a total load capacity of 60 kg. You can transport a third bike on the standard version by adding the optional rail kit.

#### Access to the front locker

Thanks to the unique Tilt-Stop system the bike rack is tiltable even with loaded bikes. The maximum angle to tilt the bike rack can be set as you please. In this way the front locker of the caravan remains accessible.

### Add to your Thule Caravan Superb



#### Thule Caravan Superb 3<sup>rd</sup> Rail Kit

307131 - To position a 3<sup>rd</sup> bike on the bike rack. Only for Thule Caravan Superb Standard.



#### Thule Brake Straps

306566 - By pulling the brakes, sideways movement is prevented and the bikes are more secured on the bike rack.

See more accessories p.100 to 103



# A-frame-mounted Bike Racks

## Thule Caravan Superb



Thanks to the adjustable Tilt-Stop system the maximum angle to tilt the bike rack can be set as you please.

**Adjustable Tilt-Stop** - Completely tiltable with bikes on providing easy access to the front locker of the caravan.

Thule Caravan Superb Standard

Thule Caravan Superb Short



**Bike holders** - Easy mounting of bikes through detachable bike arms with lockable Thule AcuTight torque limiter knobs that click when optimal torque is reached.

**Lockable platform** - The low platform gives a better centre of gravity, which makes it safer to drive and much easier to load your bikes. The ergonomic Tilt-Lock system makes it easy to lock the tiltable platform onto the base frame by hand, without any loose parts.

### Thule Caravan Superb Standard



307130 - 2 bikes, extendable to 3

### Thule Caravan Superb Short



307329 - 2 bikes



User instruction



## A-frame-mounted Bike Racks

# Thule Caravan Superb XT Black

### Design and functionality for an A-frame-mounted bike rack

This A-frame-mounted bike rack attracts the attention by its unique design in black and offers all the functionalities to transport your bikes in a simple and safe way. Available in a standard and short version. Both carriers are suitable for the transport of heavier bikes thanks to their load capacity of up to 60 kg.

#### Load of the bike

The adjustable wheel holders keep your bikes in position and are easy to tighten with the wheel straps with pump buckle tensioning system to securely fasten the bike wheels. The bike holders are attached to the bike frames and are lockable to prevent theft. You can take a third bike on the standard version by adding the optional rail kit.

#### Access to the front locker

Thanks to the unique Tilt-Stop system the bike rack is tiltable even with loaded bikes. The maximum angle to tilt the bike rack can be set as you please. In this way the front locker of the caravan remains accessible.

### Add to your Thule Caravan Superb XT Black



#### Thule Caravan Superb XT 3<sup>rd</sup> Rail Kit Black

302032 - To position a 3<sup>rd</sup> bike on the bike rack. Only for Thule Caravan Superb XT Black Standard.



#### Thule Brake Straps

306566 - By pulling the brakes, sideways movement is prevented and the bikes are more secured on the bike rack.

See more accessories p.100 to 103



# A-frame-mounted Bike Racks

## Thule Caravan Superb XT Black



Thanks to the adjustable Tilt-Stop system the maximum angle to tilt the bike rack can be set as you please.

### Adjustable Tilt-Stop -

Completely tiltable with bikes on providing easy access to the front locker of the caravan.

Thule Caravan Superb XT Black - Standard

Thule Caravan Superb XT Black - Short



**Bike holders** - Easy mounting of bikes through detachable bike arms with lockable Thule AcuTight torque limiter knobs that click when optimal torque is reached.

**Wheel holders** - Finding the perfect position for your bike is easy thanks to adjustable wheel holders. They enable you to transport all kinds of bikes with various sizes.

**Lockable platform** - The low platform gives a better centre of gravity, which makes it safer to drive and much easier to load your bikes. The ergonomic Tilt-Lock system makes it easy to lock the tiltable platform onto the base frame by hand, without any loose parts.

### Thule Caravan Superb XT Black Standard



302031 - 2 bikes, extendable to 3

### Thule Caravan Superb XT Black Short



302030 - 2 bikes



## A-frame-mounted Bike Racks



### Thule Caravan Smart

This compact and tiltable carrier can be mounted both on a normal or a short A-frame. Possible to transport one e-bike and one normal bike.

#### FEATURES

- Load capacity up to 50 kg
- Bike holders with lockable locks
- The straps block the bike wheels to avoid movement during transport
- Completely tiltable with bikes on



307129 - 2 bikes

#### Add to your Thule Caravan Smart



#### Thule Brake Straps

306566 - By pulling the brakes, sideways movement is prevented and the bikes are more secured on the bike rack during transport - set of 6.

See more accessories p.100 to 103



### Thule Caravan Light

The foam prevents the bikes from being damaged during transport. The wheel and bike holder straps make it easier to fix the bikes.

#### FEATURES

- Load capacity up to 40 kg
- Partly tiltable, bikes need to be taken off to access the storage space



306598 - 2 bikes

#### Add to your Thule Caravan Light



#### Thule Bike Holder 1 with AcuTight Knob

302520 - Adjustable bike holder with lockable Thule AcuTight torque limiter knob that clicks when optimal torque is reached. For bike racks with tube diameter of 30 mm - length  $\pm$  12 cm.

See more accessories p.100 to 103



## Rear Door-mounted Bike Rack Thule WanderWay

### Top of the line trunk bike rack for the VW T6 minivan

Thule WanderWay is quick and simple to mount, thanks to the dedicated fit to the VW T6 minivan (does not fit VW T5).

#### Load capacity

It carries 2 bikes and it is possible to increase the load capacity to carry up to 4 bikes by adding a 3<sup>rd</sup> bike and a 4<sup>th</sup> bike adapter. Alternatively, the robust construction lets you carry 2 e-bikes with a combined weight of up to 60 kg.

#### Easy to use, easy to keep on your car

Everything on the Thule WanderWay is designed for ease of use. Load your bikes easily with easy-to-adjust rails that slide from left to right, and fasten the wheels securely with wheel holders with pump buckles. Once mounted, Thule WanderWay can stay on your car for as long as you like – it is possible to open the vehicle trunk without any mounted bikes.

### Add to your Thule WanderWay



#### Thule WanderWay 3<sup>rd</sup> Rail Kit

911600 - To position a 3<sup>rd</sup> bike on the bike rack. Adjustable from left to right.



#### Thule WanderWay 4<sup>th</sup> Rail Kit

911700 - To position a 4<sup>th</sup> bike on the bike rack.

See more accessories p.100 to 103



# Rear Door-mounted Bike Rack Thule WanderWay



New

**Mounting** - Quick and simple to mount thanks to the dedicated fit to the VW T6 minivan. Possible to increase load capacity up to 4 bikes.

**Bike holders** - Easy mounting of bikes through detachable bike arms with lockable Thule AcuTight torque limiter knobs that click when optimal torque is reached.

**Foldable platform** - Platform folds up vertically when not in use and folds flat for easy transport and convenient storage.



**Sliding rails** - The rails are adjustable from left to right to easily find the best position for your bikes.

**Wheel holders** - Finding the perfect setting for your bike is easy thanks to the adjustable wheel holders. They enable you to transport all kinds of bikes with various sizes.

## Thule WanderWay



911001 - 2 bikes, extendable to 4

Anodised/black



## Rear Door-mounted Bike Racks Thule Elite Van XT

### Lightweight bike rack with premium performance

The Thule Elite Van XT bike rack is very easy to install, it's clamped and glued on the rear door of the van and requires no drilling.

#### Two finishes

The bike rack is available in two finishes: anodised and black. The finish completely in black is perfect for vans with a sporty and off-road look.

#### Secure fastening

Adjustable wheel holders with straps with pump buckle tensioning system easily secure the bike wheels to avoid movement during transport. A distance of 20 cm between the rails enables a more easy load of the bikes. Doors can be opened with bikes on.

#### Perfect finish

Rubber sealing strips create a perfect finish even when the bike rack is taken off.



### Add to your Thule Elite Van XT



#### Thule Strap Lock

307389 - Strap with a durable steel wire to bind around your bikes and bike rack to secure them during transport - length 3.00 m.



#### Thule Bike Frame Adapter

982003 - Frame adapter for easiest possible fitting of bikes with non-standard frames (e.g. ladies' bikes, downhill bikes).

See more accessories p.100 to 103



# Rear Door-mounted Bike Racks

## Thule Elite Van XT



**Rubber sealing strips** - Create a perfect finish when the bike rack is taken off.

**Pump buckles** - The straps with a pump buckle tensioning system easily secure the bike wheels.



**Installation** - The bike rack is clamped and glued on the rear door and requires no drilling.

**Bike holders** - Easy mounting of bikes through detachable bike arms with lockable Thule AcuTight torque limiter knobs that click when optimal torque is reached.

**Smart connections** - From bike rack to mounting rails. Easy to unhook and take off the bike rack when not in use.



### Thule Elite Van XT

2 bikes

Suitable for Ducato, Jumper and Boxer from 2007 onwards

307340  
Anodised

302013  
Black

### Thule Elite Van XT

2 bikes

Suitable for VW Crafter from 2017 onwards

302018  
Black

### Thule Elite Van XT

2 bikes

Suitable for Sprinter as from 2006 and VW Crafter 05/ 2006-2017

302043  
Black

New

NOTE - Only suitable for H2 & H3 models







## Rear Door-mounted Bike Racks Thule Sport G2 Compact



### Compact bike rack for vans

This compact bike rack is suitable for vans with double rear doors and for vehicles with curved surfaces thanks to a 4 point fixation system. Doors can be opened with bikes on.

NOTE - Not suitable for Ducato, Jumper and Boxer



 307341 - 2 bikes

### Add to your Thule Sport G2 Compact



**Thule Knob with Lock**  
526000 - To replace the knob of bike holders without lock for extra security.

See more accessories p.100 to 103

## Bike Racks - Accessories

### Locks



New

#### Thule One-Key System

Install or replace all lock cylinders on your Thule products and use the same key for all.

- 450400 - One Key System 4-pack
- 450600 - One Key System 6-pack
- 450800 - One Key System 8-pack
- 451200 - One Key System 12-pack
- 451600 - One Key System 16-pack



#### Thule Bike Frame Adapter

982003 - Frame adapter for easiest possible fitting of bikes with non-standard frames (e.g. ladies' bikes, downhill bikes).



#### Thule Wheel Adapter

977200 - Special protection for road bikes and mountain bikes. Placed between the strap and the rim - set of 2.



#### Thule Strap Lock

307389 - Strap with a durable steel wire to bind around your bikes and bike rack to secure them during transport - length 3.00 m.



#### Thule Knob with Lock

To replace the knob of bike holders without lock for extra security.

- 526000 - set of 2
- 527000 - set of 4



#### Thule Cable Lock

538000 - Strong, coated cable to secure your bikes - length 1.80 m.



#### Thule Brake Straps

306566 - By pulling the brakes, sideways movement is prevented and the bikes are more secured on the bike rack during transport - set of 6.



#### Thule AcuTight Knob

528000 - To replace the knob of bike holders without AcuTight. Has a built in torque limiter that "clicks" when optimal hold is reached indicating correct mounting.

## Bike Racks - Accessories

### Bike Holders with AcuTight



New

#### Thule Bike Holder 1 with AcuTight Knob

Adjustable bike holder with lockable Thule AcuTight torque limiter knob that clicks when optimal torque is reached. For bike racks with tube diameter of 30 mm - length  $\pm$  12 cm.

302520 Anodised      302525 Black



New

#### Thule Bike Holder 2 with AcuTight Knob

Adjustable bike holder with lockable Thule AcuTight torque limiter knob that clicks when optimal torque is reached.. For bike racks with tube diameter of 30 mm - length  $\pm$  26 cm.

302521 Anodised      302526 Black



New

#### Thule Bike Holder 2.5 with AcuTight Knob

Adjustable bike holder with lockable Thule AcuTight torque limiter knob that clicks when optimal torque is reached. For bike racks with tube diameter of 30 mm - length  $\pm$  30 cm.

302522 Anodised      302527 Black



New

#### Thule Bike Holder 3 with AcuTight Knob

Adjustable bike holder with lockable Thule AcuTight torque limiter knob that clicks when optimal torque is reached. For bike racks with tube diameter of 30 mm - length  $\pm$  41 cm.

302523 Anodised      302528 Black



New

#### Thule Bike Holder 4 with AcuTight Knob

Bike holder with lockable Thule AcuTight torque limiter knob to connect bike 3 with bike 4 - length  $\pm$  15 cm.

302524 Anodised      302529 Black



## Bike Racks - Accessories

### Additional Bike Rail Kit - Elongation kit



#### Thule Excellent 3<sup>rd</sup> Rail Kit

309823 - To position a 3<sup>rd</sup> bike on the bike rack. Adjustable in all directions.



#### Thule Excellent 3<sup>rd</sup> Rail Kit Black

302034 - To position a 3<sup>rd</sup> bike on the bike rack. Adjustable in all directions.



#### Thule Excellent 4<sup>th</sup> Rail Kit

309824 - To position a 4<sup>th</sup> bike on the bike rack. Fixed outwards and is not adjustable.



#### Thule Excellent 4<sup>th</sup> Rail Kit Black

302035 - To position a 4<sup>th</sup> bike on the bike rack. Fixed outwards and is not adjustable.



#### Thule Lift V16 3<sup>rd</sup> Rail Kit

307370 - To position a 3<sup>rd</sup> bike on the bike rack.



#### Thule Elite G2 3<sup>rd</sup> Rail Kit

306565 - To position a 3<sup>rd</sup> bike on the bike rack. Adjustable from left to right.



#### Thule Elite G2 4<sup>th</sup> Rail Kit

309824 - To position a 4<sup>th</sup> bike on the bike rack. Fixed outwards and is not adjustable.



#### Thule E-bike Rail for Sport G2

306945 - Extra-long rail to transport 1 e-bike on a Thule Sport G2 bike rack - max. load of 30 kg.



#### Thule Sport G2 3<sup>rd</sup> Rail Kit

306577 - To position a 3<sup>rd</sup> bike on the bike rack.



#### Thule Sport G2 4<sup>th</sup> Rail Kit

306578 - To position a 4<sup>th</sup> bike on the bike rack.



#### Thule Caravan Superb 3<sup>rd</sup> Rail Kit

307131 - To position a 3<sup>rd</sup> bike on the bike rack. Only for Thule Caravan Superb Standard.



#### Thule Caravan Superb XT 3<sup>rd</sup> Rail Kit Black

302032 - To position a 3<sup>rd</sup> bike on the bike rack. Only for Thule Caravan Superb XT Black Standard.



New



#### Thule WanderWay 3<sup>rd</sup> Rail Kit

911600 - To position a 3<sup>rd</sup> bike on the bike rack. Adjustable from left to right.



New



#### Thule WanderWay 4<sup>th</sup> Rail Kit

911700 - To position a 4<sup>th</sup> bike on the bike rack.



#### Thule Lift V16 Elongation Kit

307371 - Makes it possible to extend the mounting range to 95-150 cm.

## Bike Racks - Accessories

### Smart accessories



New

#### Thule Forkmount Adapter kit

302053 - Quick Release / For VeloSlide.

Adapter kit that replaces the Quick Release front wheel with a new axle hub. The torque limiter ensures a tight but protective grip of the front fork.



New

#### Thule Forkmount Adapter kit

302054 - Thru Axle / For VeloSlide

Adapter kit that replaces the front wheel while re-using the existing thru-axle of your bike. Adaptable to different axle sizes to ensure the correct fit.



#### Thule Rear Warning Sign - Italian type

307619 - Officially approved aluminium rear reflecting panel for protruding loads. Suitable for Europe, except for Spain - 50 x 50 cm.



New

#### Thule Wheel Bag XL

563000 - High-quality bag for the front wheel, with special padding to protect the bike wheel during transport and storage. For wheel sizes up to 29" or 74 cm in diameter.



New

#### Thule Carbon Frame Protector

984101 - Adapter for the safe transport of bicycles with carbon frame. The pressure of the fastener is distributed over a large area to minimise the risk of damage to the frame.



#### Thule Rear Warning Sign - Spanish type

307337 - Officially approved aluminium rear reflecting panel for protruding loads. Suitable for Spain, not for other European countries - 50 x 50 cm.



#### Thule Bike Cover

High quality bike cover to protect your bicycles during transport on a rear-mounted bike rack.

- 307335 - Suitable for 2/3 bikes
- 307336 - Suitable for 4 bikes



#### Thule Cover for Mounting Rail

307328 - Covers the holes in the mounting rails when the bike rack is dismantled from the vehicle to avoid dust and dirt - set of 2.



#### Bike rack - Adapters

Thule has a large range of bike rack adapters available, developed in cooperation with and approved by the recreational vehicle manufacturers to fit any type of vehicle. Thule advises to let the installation be done by a professional.





## › Storage

Space is always too tight, therefore a flexible storage is crucial. It allows you to have a place for each item and easy access to it. With our smart storage solutions you can store your things inside or outside your vehicle to fully enjoy your free time.



## Storage - Line at-a-glance

### Organizers



#### Thule Wall Organizer

14 pockets in 2 different sizes



#### Thule Shoe Organizer

10 large and 2 mesh pockets



#### Thule Countertop Organizer

Different compartments and elastic loops



#### Thule Go Box

2 main compartments and 3 side pockets



#### Thule Toiletry Kit

13 separate compartments



#### Thule Trash Bin

Suitable for plastic trash bags of 50 litres



#### Fixation systems

3 systems to hang up the organizers

### Boxes



#### Thule Force XT

Roof-mounted box

## Organizers



### Thule Wall Organizer

Provides storage space for all kinds of things.

#### FEATURES

- 14 pockets in 2 different sizes
- Integrated cover with zipper to protect your items during transport
- Dimensions LxH: 50 x 85 cm

#### FIXATION (not included)

- Thule Strap Kit for Organizers
- Thule POD 2.0
- Thule POD 1.0

306924  
Black/Grey



### Thule Shoe Organizer

Provides storage space for at least 10 pairs of shoes.

#### FEATURES

- 10 large and 2 mesh pockets
- Integrated cover with zipper to protect your shoes during transport
- Dimensions LxH: 50 x 80 cm

#### FIXATION (not included)

- Thule Strap Kit for Organizers
- Thule POD 2.0
- Thule POD 1.0

306925  
Black/Grey



### Thule Countertop Organizer

Keeps all essential items within reach.

#### FEATURES

- Different compartments and elastic loops
- Integrated paper towel holder
- Dimensions LxH: 90 x 40 cm

#### FIXATION (not included)

- Thule Strap Kit for Organizers
- Thule POD 2.0
- Thule POD 1.0

306926  
Black/Grey



### Thule Go Box

Handy and foldable storage box in two sizes.

#### FEATURES

- 2 main compartments and 3 side pockets
- Simple to carry and it folds up quickly to store when not in use
- Foldable cap for rain protection
- Dimensions Medium LxWxH: 61 x 36 x 30 cm
- Dimensions Large LxWxH: 61 x 46 x 30 cm

M - 306929  
Black/Grey

L - 306930  
Black/Grey



## Organizers



### Thule Toiletry Kit

Ideal to use in the bathroom.

#### FEATURES

- 13 separate compartments
- Easy to carry thanks to the handle on top
- Removable mirror
- Dimensions closed LxH: 35 x 40 cm
- Dimensions opened LxH: 35 x 120 cm
- L-shaped hook to fit over doors

#### FIXATION (not included)

- Thule POD 2.0
- Thule POD 1.0

306928  
Black/Grey



### Thule Trash Bin

Keeps your waste or laundry out of sight and off the ground.

#### FEATURES

- Suitable for plastic trash bags of 50 litres
- A zipper at the bottom makes it easy to empty and clean
- Dimensions LxWxH: 35 x 35 x 70 cm

#### FIXATION (not included)

- Thule POD 1.0

306927  
Black/Grey



## Fixation systems



### Thule Strap Kit for Organizers

#### FEATURES

- Fits in the caravan rail or the front lead rail of the awning
- Maximum load: 10 kg/strap
- Quick release system
- Adjustable in height
- Strap length: 1.20 m
- Set of 2 pieces

307124  
Black



### Thule POD 2.0

#### FEATURES

- Mounted with two screws and/or glue
- Cover included
- Compact and discrete design
- Maximum load: 10 kg/POD
- Dimensions LxWxH: 5.5 x 1.2 x 3 cm
- Set of 2 pieces

306804  
White



### Thule POD 1.0

#### FEATURES

- Mounted with two screws
- Cover included
- Dimensions LxWxH: 8.8 x 4.4 x 5.2 cm
- Set of 2 pieces

307620  
White





# Roof-mounted box Thule Force XT




## Versatile roof-mounted cargo box for everyday use

**Fitting** - Maximum space efficiency across a wide range of vehicle fits.

**Mounting** - Easy to mount thanks to the PowerClick quick-mount system. The integrated torque indicator clicks when it's properly mounted, ensuring fast and secure fitting.

**Load** - 75 kg load capacity.



**Secured** - Comfortable to open and close thanks to the LockKnob that also helps to prevent damage to the Thule Comfort Key.

**Easy opening** - DualSide opening provides easy access to all areas of the box, from either side of the vehicle.

NOTE - When mounted on load bars Thule ProBar Flex use Thule T-Track Adapter 697600



<b>S</b>	<b>M</b>	<b>L</b>
■ 635100 Black Aeroskin	■ 635200 Black Aeroskin	■ 635700 Black Aeroskin

Discover more Thule roof box models on [www.thule.com](http://www.thule.com)





## › Comfort & Security

Make your holiday pleasant and comfortable. With a wide range of steps and ladders, access to your vehicle or roof is effortless. Enjoy your activities far from your vehicle with the knowledge your belongings are protected with robust, high quality locks.



## Comfort & Security - Line at-a-glance

### Roof rack system



Thule SmartClamp System



Thule Van Ladder 9 Steps



Thule Ladder Fixation Kit



### Comfort



Thule Ladders



Thule Steps



Thule Vents



### Security



Thule Levelers



Thule Locks



## Roof rack system Thule SmartClamp System

### Easy-to-install roof rack base rails for vans\*

This roof rack system is a versatile piece of equipment, that is emphasised by its wide range of additional accessories. Equipped with features allowing full optimisation for different activities, the strong endurance makes it possible to use during all seasons.

#### Thule SmartClamp System

Easy installation without drilling by mounting the smart clamps to the van's existing fix points. The two base rails are glued onto the vehicle roof and connected with the smart clamps to perfectly integrate with the vehicle roof.

#### Thule ProBar Flex

Option to add two or more load bars, allowing fitting of Thule ProBar roof accessories. The load bars can be positioned anywhere along the base rails in function of the combination of accessories on the roof. Available in 2 different heights and the load bars are lockable with a key to prevent theft.

#### Awning adapter

With or without the roof rack, the awning adapter can easily be mounted on the roof or on the roof rack without drilling. The adapter covers under the awning provide a complete finishing and integration with the vehicle.

### Add to your Thule ProBar Flex



#### Thule Omnistor 6300

Create a shelter by expanding the roof rack with an awning. See p.24



#### Thule Force XT

Versatile roof-mounted cargo box for everyday use. See p.111

\*Suitable for H2 Ducato | Jumper | Boxer vans from 2007 onwards



## Roof rack system Thule SmartClamp System



**Base rails** - The load bars are mounted on two base rails which are glued and secured with smart clamps on the vehicle roof. Different lengths available for the different models.

**Load bars** - Flexible position of the load bars to avoid obstacles on the roof and for optimal fitting of accessories. Possible to add two or more load bars.

**Smart Clamps** - Innovative fastening pieces to install the base rails on the existing fix points of the vehicle without drilling.



NOTE - The roof should be clear of obstacles within 10 cm from the fix points

## Thule ProBar Flex




Roof rack load bars for vans, allowing fitting of Thule roof accessories. Available in two different heights.



**Thule ProBar Flex - High**  
Set of 2 high load bars.

301647  
Aluminium



**Thule ProBar Flex - Low**  
Set of 2 low load bars.

301648  
Aluminium

NOTE - Maximum loading weight of 75 kg per set of load bars



## Ladder for roof access Thule Van Ladder 9 Steps



### Telescopic ladder for easy access to roof-mounted accessories

Easily fixed to the vehicle wall with extra stability thanks to the included magnetic fixation kit.

#### FEATURES

- Easy to use anywhere you want
- Safe and stable on most terrains
- The ladder is extendable to 2.60 m
- Open partly for lower reach
- Air pressure system for safe closing
- Compact when not in use
- Complies with EN-131



Soft-Close



301404  
Anodised

#### INCLUDED

- Thule Van Ladder 9 Steps
- Thule Ladder Fixation Kit
- 4 protective patches
- 2 organizer fixation parts
- Storage bag for ladder
- Storage bag for fixation kit



## Kit for wall fixation Thule Ladder Fixation Kit



### Magnetic kit suitable for steel surfaces

Use the Thule Ladder Fixation Kit for extra stability when using a telescopic ladder. Apply the magnetic kit wherever you want on the vehicle and put the ladder against it. Bind the straps around the ladder and tension them by using the pump buckles.

#### FEATURES

- Easy to apply on and remove from steel surfaces
- Multi-purpose use for telescopic ladder, organizers and windscreen
- Safe storage

301405  
Anodised

#### INCLUDED

- Thule Ladder Fixation Kit
- 4 protective patches
- 2 organizer fixation parts
- Storage bag



### Add to your Thule Ladder Fixation Kit

**Thule Windscreen** - See p.43

**Thule Organizers** - See p.108



Comfort & Security

Discover all Thule van accessories in the “Product Guide - Van & minivan accessories” catalogue or go to [www.thule.com](http://www.thule.com).





## Comfort Thule Ladders



### Thule Ladder 4 Steps

**FEATURES**

- 4 steps
- Backside mounting on a van
- Round tubes

307490  
Anodised



### Thule Ladder 5 Steps

**FEATURES**

- 5 steps
- Indoor use
- Round tubes

307492  
Anodised



### Thule Ladder 6 Steps

**FEATURES**

- 6 steps
- Backside mounting
- Round tubes

307487  
Anodised



### Thule Ladder Deluxe 6 Steps

**FEATURES**

- 6 steps
- Backside mounting
- Oval arms

307496  
White

# Comfort Thule Ladders



## Thule Ladder 10 Steps

### FEATURES

- 10 steps
- Backside mounting
- Round tubes
- Foldable

307488  
Anodised



## Thule Ladder Deluxe 11 Steps

### FEATURES

- 11 steps
- Backside mounting
- Oval arms
- Foldable

307497  
White



## Roof rails with oval profiles

Standard length 3 meters, easy to adjust to the required length.  
Optional: set of 2 accompanying cross rails in aluminium with a standard length of 2.50 m. Loading capacity of 70 kg.

307516  
Roof rails aluminium

307511  
Roof rails white lacquered

307499  
Cross rails

## Comfort Thule Steps



### Easy access to your vehicle

A step allows you to easily enter your vehicle without effort, operated manually or via motor.

#### High quality

Extremely robust, the steps are made of corrugated anodised aluminium. Their quality exceeds European quality standard EN1646.

#### Extra safety

A switch for the connection of a warning lamp inside the vehicle is included as standard, making it impossible to drive away with the step still out.

#### Motorised steps

For even greater convenience, opt for the motorised steps. Each model is operated by a simple switch conform to the EMV and CE norms.

#### LED: maximum visibility

To be clearly visible under all conditions, each motorised slide-out step can be equipped with the optional Thule LED Kit for additional lighting.

The black part  
inserts easily  
under the vehicle



The aluminium step  
automatically unfolds  
when the switch is  
pressed

Optional LED  
lights

Antislip



## Motorised steps



### Thule Slide-Out Step V18 12V

#### FEATURES

- Different installation sets for vans available
- Width: 400 - 550 - 700 mm



### Thule Single Step 12V

#### FEATURES

- Width: 460 - 550 mm



### Thule Double Step 12V

#### FEATURES

- Width: 380 - 440 - 500 mm



### Thule Slide-Out Step V19 12V Ducato | Jumper | Boxer Euro 6d-Temp

#### FEATURES

- Mounting set bought separately
- Width: 400 - 550 - 700 mm



### Thule Slide-Out Step V19 12V Crafter 2017

#### FEATURES

- Mounting set bought separately
- Width: 400 - 550 - 700 mm

## Accessories for motorised steps

- **Thule LED Kit for Slide-Out Step:**  
Integrated and protected LED for optimal visibility of the footboard  
301477 - Thule LED Kit for standard Slide-Out Steps (700 mm)  
301826 - Thule LED Kit for Ducato | Crafter Slide-Out Steps (700 mm)
- **Relay:** ensures that the step is folded up when the motor starts
- **Step control box:** ensures that the step is automatically folded and unfolded when the door is opened and closed

NOTE - Our products are designed and developed for use in the recreational sector. As such, our products have not been tested and are not warranted for use in semi-professional or professional applications like busses, taxis, ambulances, etc

## Manual steps



### Thule Slide-Out Step Manual

#### FEATURES

- Width: 400 mm



### Thule Single Step Manual

#### FEATURES

- Width: 550 mm

## Comfort Thule Vent - Manual



### Practical for fresh and healthy air

#### Natural airing: use the Thule Vent as a window

An aerodynamic design means you no longer need a spoiler. The roof light is mounted with special clamps so drilling is not needed, except for the opening itself.

#### Mosquito screen

The Thule Vent model includes a removable mosquito screen on the outside to keep dirt and vermin out.



#### FEATURES

- Dimensions outside: 47.2 x 45.9 cm
- Dimensions inside: 40 x 40 cm
- Weight: 3 kg
- All materials are made of impact and weather-resistant plastics

### Add to your Thule Vent

#### Thule Ventilator Kit 12V

211001 - The optional ventilator makes it possible to motorise your manual Thule Vent.



#### FINISHES



200004 - White



200016 - Translucent



200018 - Transparent

## Comfort Thule Vent - Motorised



### Practical for fresh and healthy air

#### Ventilation: combine the Thule Vent with a motorised ventilator

Provides fresh air and ventilation instantly. A simple press on the button of the control panel adjusts the speed and rotation direction. Plus, it is silent and extremely low on energy consumption.



#### FEATURES

- Motor 12V
- Max. 20 m<sup>3</sup>/min.
- Ventilation and extraction
- Connection with a thermostat or motion sensor is also possible
- Weight: 4.5 kg

#### Security

In addition to 12 ventilation speeds, the Thule Vent has an energy saving function, a boost function and a safety mechanism to guard against excess voltage, incorrect connection and blockage.



#### FINISHES



200063 - White



200061 - Translucent



200065 - Transparent

## Security Thule Levelers

### The stable way to park

#### Top stability

Thule levelers offer a very large surface area for increased stability, making them ideal for wider tyres, with a maximum load capacity of 5 ton/set.

#### Striped area

The three heights make it easier to get your vehicle leveled. The striped area offers perfect grip between the tyre and the leveler.



#### FEATURES

- 3 heights: 44 - 78 - 112 mm
- Dimensions LxWxH: 560 x 200 x 150 mm
- Weight: 1.8 kg per leveler

#### INCLUDED

- Set of 2 levelers
- Storage bag



307617  
Black



## Locks

### Thule Security Handrail



### Thule Security Handrail

This handrail has a unique double locking design for extra safety. In the open position it offers a sturdy grasp handle to help getting in and out the vehicle and in its locked position it folds across the door giving added visible security.

#### PACK

- 308892 - 1 piece  
White
- 308893 - Thule Security Handrail Door Frame Kit  
White



### Thule Security Handrail - Short Version

This sturdy and easy-to-fit handrail is ideal for a motorhome or caravan with a lower entry door. In the open position it offers a sturdy grasp handle to help getting in and out the vehicle and in its locked position it folds across the door giving added visible security.

#### PACK

- 307387 - 1 piece  
White
- 308893 - Thule Security Handrail Door Frame Kit  
White





# Locks

## Thule Universal Lock



### 3 different mounting options with the same lock

This high security lock fits all: motorhome, caravan and van. Possible to mount the same lock in three different ways. The surface-mounted installation is perfect for sliding doors, cabin doors or double rear doors of a van. The wall-mounted and the door frame-mounted installations are perfect for the entrance door, the garage door or the hatches of a motorhome or caravan.


#### FEATURES

- Large overlap with door for high security
- Strong rotating lock system
- The door frame bracket only requires a 3 mm gap between door and frame
- Fits left or right opening doors
- Available in the colours white and black


#### PACK

- |  |  |
|--|--|
|  301406 - 1 piece<br>White  |  301408 - 1 piece<br>Black  |
|  301419 - 2 pieces<br>White |  301409 - 2 pieces<br>Black |
|  301407 - 3 pieces<br>White |  |


#### Surface-mounted



#### Wall-mounted



#### Door frame-mounted



## Locks

### Thule Inside-Out Lock G2



#### Secures the entrance door both from the inside and outside

High security lock for motorhome and caravan. This lock is mounted through the wall of your vehicle and secures the entrance door from the inside and outside. It's lockable from both sides but for your safety it can always be opened from the inside without a key.

#### FEATURES

- Limited space required for installation
- Large overlap with door for high security
- Can be installed horizontally or vertically
- Max. wall thickness: 45 mm

#### PACK

307339 - 1 piece  
White



## Locks



### Thule Door Lock

This quality door lock is easy to use: just slide it sideways to lock and secure your doors. Mounted through the wall with a mounting plate, a sealing cover and bolts.

#### PACK

- 308888 - 1 piece  
White
- 308890 - 3 pieces  
White



### Thule Door Frame Lock

This variant of the Thule Door Lock enables installation when there is no space inside the vehicle to fit the mounting plate. Instead of through the wall, it is screwed into the door frame.

#### PACK

- 308889 - 1 piece  
White
- 308891 - 3 pieces  
White



### Thule Cab Lock

This lock secures your cabin door from the inside with a key. It offers a soft touch cover and matches the colour of your interior. Designed to fit the Fiat Ducato, Citroën Jumper and Peugeot Boxer. Special variant available for MB Sprinter and Renault Master.

#### PACK

- 309830 - 2 pieces: Ducato  
Grey
- 309831 - 2 pieces: Sprinter  
Grey




### Thule Van Lock

This high security lock helps you to secure rear and sliding side doors. Smart and attractive, it fits all van models and matches the colour of your van's bumper and handles.

#### PACK

- 309832 - 1 piece  
Black
- 309833 - 2 pieces  
Black





Get inspired on the web and on social media and discover a wide range of Thule products for an active lifestyle, from luggage and backpacks to strollers and child bike seats. And be sure to **inspire us** in your own social media channels with a simple **@thule**, we love to see how you **#bringyourlife**.





# Awnings - Technical Specifications

## Wall-mounted Awnings

### Thule Omnistor 5200

Manual



Length	Projection	Weight
1.92 m	1.40 m	14.20 kg
2.32 m	1.80 m	17.00 kg
2.62 m	2.00 m	19.00 kg
3.02 m	2.50 m	22.60 kg
<b>New</b> 3.15 m*		24.60 kg
3.52 m		25.40 kg
<b>New</b> 3.75 m*		27.40 kg
4.02 m		28.00 kg
4.52 m		30.40 kg
5.02 m		32.80 kg

Motorised



Length	Projection	Weight
3.05 m	2.50 m	23.60 kg
3.55 m		26.40 kg
4.05 m		29.00 kg
4.55 m		31.40 kg
5.05 m		33.80 kg

#### Cassette Finishes



### Thule Omnistor 8000

Manual



Length	Projection	Weight
4.00 m	2.75 m	41.40 kg
4.50 m		44.60 kg
5.00 m		48.20 kg
5.50 m		51.80 kg
6.00 m		55.40 kg

Motorised



Length	Projection	Weight
4.00 m	2.75 m	43.40 kg
4.50 m		46.60 kg
5.00 m		50.20 kg
5.50 m		53.80 kg
6.00 m		57.40 kg

#### Cassette Finishes



### Thule Omnistor 4900

Manual



Length	Projection	Weight
2.60 m	2.00 m	17.50 kg
3.00 m	2.50 m	19.60 kg
3.50 m		21.60 kg
4.00 m		25.60 kg
4.50 m		27.80 kg

#### Cassette Finishes



### Thule Omnistor 5102

Manual



Length	Projection	Weight
2.60 m	2.00 m	19.80 kg

#### Cassette Finishes



\* Only Anthracite cassette finish

# Awnings - Technical Specifications

New

## Thule 3200

Manual



Length	Projection	Weight
1.90 m	2.50 m	12.00 kg
2.30 m		13.80 kg
2.50 m		14.70 kg
2.70 m		15.60 kg
3.00 m		16.90 kg

### Cassette Finishes



## Roof-mounted Awnings

### Thule Omnistor 6300

Manual



Length	Projection	Weight
2.60 m	2.00 m	20.60 kg
3.00 m	2.50 m	24.10 kg
3.25 m		25.10 kg
3.50 m		26.80 kg
3.75 m		28.50 kg
4.00 m		30.50 kg
4.25 m		31.80 kg
4.50 m		33.00 kg
5.00 m		35.60 kg

Motorised



Length	Projection	Weight
3.03 m	2.50 m	25.10 kg
3.28 m		26.10 kg
3.53 m		27.80 kg
3.78 m		29.50 kg
4.03 m		31.50 kg
4.28 m		32.80 kg
4.53 m		34.00 kg
5.03 m		36.60 kg

### Cassette Finishes



### Thule Omnistor 9200

Manual




Length	Projection	Weight
4.00 m	3.00 m	42.40 kg
4.50 m		45.60 kg
5.00 m		50.20 kg
5.50 m		53.60 kg
6.00 m		57.60 kg

Motorised



Length	Projection	Weight
4.00 m	3.00 m	45.40 kg
4.50 m		48.60 kg
5.00 m		53.20 kg
5.50 m		56.60 kg
6.00 m		60.60 kg

### Cassette Finishes



## Rail-mounted Awnings

### Thule Omnistor 1200

Manual



Length	Projection	Weight
2.30 m	2.00 m	9.00 kg
2.60 m	2.20 m	10.40 kg
3.00 m	2.50 m	12.00 kg
3.25 m		12.60 kg
3.50 m		13.40 kg
3.75 m		14.20 kg
4.00 m		15.00 kg
4.25 m		15.80 kg
4.50 m		16.60 kg
5.00 m		18.40 kg
5.50 m	20.00 kg	

### Bag Finish



# Awnings - Technical Specifications

## Wall-mounted Awnings



New

Name	Thule Omnistor 5200		Thule Omnistor 8000		Thule Omnistor 4900	Thule Omnistor 5102	Thule 3200
	Manual	Motorised	Manual	Motorised			
<b>INSTALLATION</b>							
Motorhome	•	•	•	•	•		
Caravan	•	•	•	•	•		
Van	•				•		
Minivan	•				•	• VW T5/T6	•
<b>OPERATION</b>							
Fast gear	•		•		•	•	
By hand							•
Motor	Optional*	12 VDC	Optional	230 VAC			
Integrated tension arms	•	•	•	•			
Quick-Lock system	•	•	•	•		•	•
<b>SPECIFICATIONS</b>							
Min. length	1.92 m	3.05 m	4.00 m	4.00 m	2.60 m	2.60 m	1.90 m
Max. length	5.02 m	5.05 m	6.00 m	6.00 m	4.50 m	2.60 m	3.00 m
Min. projection	1.40 m	2.50 m	2.75 m	2.75 m	2.50 m	2.00 m	2.50 m
Max. projection	2.50 m	2.50 m	2.75 m	2.75 m	2.50 m	2.00 m	2.50 m
Min. weight	14.20 kg	23.60 kg	41.40 kg	43.40 kg	17.50 kg	19.80 kg	12.00 kg
Max. weight	32.80 kg	33.80 kg	55.40 kg	57.40 kg	27.80 kg	19.80 kg	16.90 kg
Cassette finishes	Anodised White Anthracite	Anodised White Anthracite	Anodised White Cream Anthracite	Anodised White Cream Anthracite	Anodised White Anthracite	Light Grey Anthracite	Anthracite Anodised/Anthracite
Fabric finishes	31 - Mystic Grey 32 - Sapphire Blue 22 - Uni White	31 - Mystic Grey	31 - Mystic Grey 32 - Sapphire Blue 22 - Uni White	31 - Mystic Grey 32 - Sapphire Blue 22 - Uni White	31 - Mystic Grey 32 - Sapphire Blue	31 - Mystic Grey	07 - Uni Grey

NOTE - Lengths are box lengths, the fabric is approximately 20 cm shorter - \*Only for awning lengths from 3.00 m and more

## Awnings - Technical Specifications

### Roof-mounted Awnings



Name	Thule Omnistor 6300		Thule Omnistor 9200	
	Manual	Motorised	Manual	Motorised
<b>INSTALLATION</b>				
Motorhome	•	•	•	•
Caravan	•	•	•	•
Van	•	•		
Minivan				
<b>OPERATION</b>				
Fast gear	•		•	
By hand				
Motor	Optional*	12 VDC	Optional	230 VAC
Integrated tension arms	•	•	•	•
Quick-Lock system	•	•	•	•
<b>SPECIFICATIONS</b>				
Min. length	2.60 m	3.03 m	4.00 m	4.00 m
Max. length	5.00 m	5.03 m	6.00 m	6.00 m
Min. projection	2.00 m	2.50 m	3.00 m	3.00 m
Max. projection	2.50 m	2.50 m	3.00 m	3.00 m
Min. weight	20.60 kg	25.10 kg	42.40 kg	45.40 kg
Max. weight	35.60 kg	36.60 kg	57.60 kg	60.60 kg
Cassette finishes	Anodised White Anthracite	Anodised White Anthracite	Anodised White Cream	Anodised White Cream
Fabric finishes	31 - Mystic Grey 32 - Sapphire Blue	31 - Mystic Grey	31 - Mystic Grey 32 - Sapphire Blue 22 - Uni White	31 - Mystic Grey 32 - Sapphire Blue 22 - Uni White

### Rail-mounted Awnings



Name	Thule Omnistor 1200
<b>INSTALLATION</b>	
Motorhome	
Caravan	•
Van	
Minivan	
<b>OPERATION</b>	
Fast gear	
By hand	•
Motor	
Integrated tension arms	
Quick-Lock system	•
<b>SPECIFICATIONS</b>	
Min. length	2.30 m
Max. length	5.50 m
Min. projection	2.00 m
Max. projection	2.50 m
Min. weight	9.00 kg
Max. weight	20.00 kg
Bag finish	White
Fabric finishes	31 - Mystic Grey 32 - Sapphire Blue

NOTE - For fabric availability please contact your Thule recreational vehicle advisor

# Smart Panels - Technical Specifications

## Side Panels

### Thule Sun Blocker G2



Awning type	Projection	A - Mounting height		H - Awning incline	SKU No
TO 5102 • 4900 • 5003 • 5200 • 6200 • 6300	2.00 m	1.90 - 2.24 m	Small	21 cm	307399
<b>New</b> T 3200	2.50 m	1.90 - 2.24 m	Small	21 cm	301338
TO 4900 • 5003 • 5200 • 6200 • 6300		2.25 - 2.44 m	Medium	23 cm	307278
TO 1200	2.75 m	2.45 - 2.64 m	Large	43 cm	307279
TO 8000 • 6900		2.25 - 2.49 m	TO 1200	48 cm	307398
TO 9200	3.00 m	2.25 - 2.44 m	Medium	23 cm	307280
		2.45 - 2.64 m	Large	43 cm	307281
		2.25 - 2.44 m	Medium	23 cm	307282
		2.45 - 2.64 m	Large	43 cm	307283

### Thule Rain Blocker G2



Awning type	Projection	A - Mounting height		H - Awning incline	SKU No
TO 5102 • 4900 • 5200	2.00 m	1.80 - 1.99 m	Minivan*	21 cm	306515
TO 4900 • 5003 • 5200 • 6200 • 6300		2.05 - 2.24 m	Small	23 cm	307400
<b>New</b> TO 6200 • 6300	2.50 m	2.35 - 2.54 m	Caravan	23 cm	310204
T 3200		1.80 - 1.99 m	Minivan	27 cm	301339
TO 4900 • 5003 • 5200 • 6200 • 6300		2.05 - 2.24 m	Small	23 cm	307291
		2.25 - 2.44 m	Medium	23 cm	307292
TO 1200	2.75 m	2.45 - 2.64 m	Large	43 cm	307293
		2.65 - 2.84 m	X-Large	63 cm	307294
<b>New</b> TO 6200 • 6300	3.00 m	2.35 - 2.54 m	TO 1200 V2	50 cm	301422
TO 6200 • 6300		2.35 - 2.54 m	Caravan	33 cm	301332
TO 8000 • 6900		2.30 - 2.50 m	Van**	37 cm	307302
TO 9200		2.25 - 2.44 m	Medium	23 cm	307295
	2.45 - 2.64 m	Large	43 cm	307296	
		2.65 - 2.84 m	X-Large	63 cm	307297
		2.85 - 3.04 m	XX-Large	83 cm	306516
		2.25 - 2.44 m	Medium	23 cm	307298
		2.45 - 2.64 m	Large	43 cm	307299
		2.65 - 2.84 m	X-Large	63 cm	307300
		2.85 - 3.04 m	XX-Large	83 cm	306517

#### \*Minivan

- VW California T5/T6 > 2003
- PSA Minivan > 2016

#### \*\*Van

- Fiat Ducato > 2006
- Peugeot Boxer > 2006
- Citroën Jumper > 2006
- VW Crafter > 2017

NOTE - Thule Rain Blocker G1 Side Panels are available for Thule Omnistor Caravan, Caravan Style and 2000

### Thule View Blocker G2



Awning type	Projection	A - Mounting height		H - Awning incline	SKU No
<b>New</b> TO 4900 • 5003 • 5200 • 6200 • 6300	2.00 m	2.05 - 2.24 m	Small	23 cm	310202
<b>New</b> TO 1200	2.50 m	2.05 - 2.24 m	Small	23 cm	310203
		2.25 - 2.44 m	Medium	23 cm	308030
		2.45 - 2.64 m	Large	43 cm	308381
<b>New</b> TO 1200		2.35 - 2.54 m	TO 1200	50 cm	310201

A = Distance between bottom of awning cassette and ground

## Smart Panels - Technical Specifications

### Front Panels

#### Thule Sun Blocker G2



Awning type	Length	Fits min. awning length	Height	SKU No
All Thule Omnistor awnings	1.00 m	-	1.70 m	307284
	2.40 m	2.60 m		307285
	2.80 m	3.00 m		307286
	3.30 m	3.50 m		307287
	3.80 m	4.00 m		307288
	4.30 m	4.50 m		307289
	4.80 m	5.00 m		307290

NOTE - Can be used in combination with the Thule Residence G3 tent with the optional connections profiles - 301567

#### Thule Rain Blocker G2



Awning type	Panel type	Length	Height	SKU No	
<b>Combine with Side Panel: Minivan</b>					
All Thule Omnistor awnings	T 3200	J	1.12 m	301354	
	T 3200 • TO 5102 • 4900 • 5200	A	1.27 m	306454	
	T 3200	K	1.47 m	301355	
	T 3200	L	1.81 m	301356	
	T 3200	J + A	2.50 m	311360	
	TO 5102 • 4900 • 5200	A + A	2.60 m	311361	
	T 3200	J + K	2.70 m	311362	
	T 3200 • TO 4900 • 5200	J + L	3.00 m	311363	
	<b>Combine with Side Panels: Small and TO 1200 V2</b>				
	All Thule Omnistor awnings	B	1.27 m	2.10 m	301320
C		1.47 m	301321		
D		1.67 m	301322		
E		1.92 m	301323		
<b>Combine with Side Panels: Medium, Large, X-Large, XX-Large, Van and Caravan</b>					
All Thule Omnistor awnings	F	1.02 m	2.30 m	307303	
	G	1.52 m		307304	
	H	1.72 m		307305	
	I	2.00 m		307306	

#### Thule Rain Blocker G2 Pack Minivan



Awning type	Packaging	SKU No
TO 5102 • 4900	2x Thule Rain Blocker G2 Side Minivan 2x Thule Rain Blocker G2 Front A (1.27 m) Storage bag	301329

#### Thule View Blocker



Awning type	Length	Fits min. awning length	Height	SKU No
All Thule Omnistor awnings	2.40 m	2.60 m	1.40 m	307588
	2.80 m	3.00 m		307592
	3.30 m	3.50 m		307594
	3.80 m	4.00 m		307596
	4.30 m	4.50 m		307598
	4.80 m	5.00 m		307600


NOTE - Can be used in combination with the Thule Residence G3 tent with the optional connections profiles - 301567

## Smart Panels - Technical Specifications

### Thule Rain Blocker G2 Front Combinations

#### Panel type


The Thule Rain Blocker G2 front panels exist in 3 different heights and in several lengths.



#### Front combination

When desired, a full front combination can be made, compatible with your side panel and depending on your awning length.

Compatible side panel	Awning length (± L)		Front combination
MINIVAN	2.50 m	T 3200	J + A (set: 301360)
	2.60 m	TO 5102 - 4900 - 5200	A + A (set: 301361)
	2.70 m	T 3200	J + K (set: 301362)
	3.00 m	T 3200 - TO 4900 - 5200	J + L (set: 301363)
S TO 1200 V2	2.60 m		B + B
	2.80 m		B + C
	3.00 m		B + D
	3.25 m		B + E
	3.50 m		C + E
	3.75 m		D + E
	4.00 m		E + E
	4.25 m		B + C + C
	4.50 m		C + C + C
	5.00 m		D + D + D
	5.50 m		D + E + E
M L XL XXL VAN CARAVAN	3.00 m		F + F + F
	3.25 m		G + H
	3.50 m		F + G + F
	3.75 m		H + I
	4.00 m		F + I + F
	4.25 m		F + G + H
	4.50 m		F + I + G
	5.00 m		G + I + G
	5.50 m		I + G + I
	6.00 m		I + I + I



## Smart Panels - Technical Specifications



Thule Windscreen	
<b>Name</b>	Thule Windscreen
<b>SKU No</b>	306456
<b>Fabric's height</b>	1.38 m
<b>Total height</b>	1.55 m
<b>Length</b>	3.00 m
<b>Weight</b>	4.5 kg

## Boxes for roof mounting - Technical Specifications




Name	Thule Force XT		
	S	M	L
<b>SKU No</b>	635100	635200	635700
<b>INSTALLATION</b>			
<b>Motorhome</b>	•	•	•
<b>Caravan</b>	•	•	•
<b>Van</b>	•	•	•
<b>SPECIFICATIONS</b>			
<b>Volume</b>	300 L	400 L	450 L
<b>Product dimensions (L x W x H)</b>	139 x 89.5 x 39 cm	175 x 82 x 45.5 cm	190 x 84 x 46 cm
<b>Internal dimensions (L x W x H)</b>	127 x 78 x 34 cm	162 x 71 x 40 cm	177 x 73 x 41 cm
<b>Load capacity</b>	75 kg	75 kg	75 kg
<b>Product weight</b>	14.3 kg	16.4 kg	18.7 kg
<b>Material</b>	Black Aeroskin		
<b>Mounting system</b>	PowerClick		
<b>Locking system</b>	CentralLock		
<b>Box opening</b>	DualSide		

NOTE - When mounted on load bars Thule ProBar Flex, use Thule T-Track Adapter 697600

# Tents - Technical Specifications



Name	Thule Veduta			Thule Panorama			Thule Residence G3			
Stay	Long stay			Long stay			Long stay			
<b>INSTALLATION</b>										
Motorhome				•			•			
Caravan	•			•			•			
Van				• Ducato H2						
Minivan										
<b>FITS</b>										
Awnings	Thule Omnistor 6300 • 6200			Thule Omnistor 5200 • 8000 • 5003 • 5002 • 5500 • 6300 • 9200 • 6200 • 6002			Thule Omnistor 5200 • 8000 • 4900 • 5003 • 5002 • 5500 • 6300 • 9200 • 6200 • 6900 • 6002			
Awning lengths	4.00 - 5.00 m			3.00 - 6.00 m			3.00 - 6.00 m			
Mounting heights	2.45 - 2.59 m			2.30 - 2.74 m			2.15 - 3.10 m			
Vehicle wall	Straight wall			Straight wall			Straight wall			
<b>SPECIFICATIONS</b>										
Maximum tent length	5.00 m			6.00 m			6.00 m			
Fabric	AIRTEX® fabric			AIRTEX® fabric			PVC fabric			
Colour	Black, grey and white			Black, grey and white			Black, grey and white			
Curtains	Optional			Optional			Optional			
Windslip	Included			Included			Included (with front panel)			
Wheelcover	Included			Optional (included for Ducato H2)			Optional			
Storage bag	2 Luxury bags			2 Luxury bags			2 Luxury bags (included with side panels)			
	<b>Models</b>	<b>A - Mounting height</b>	<b>H</b>	<b>SKU No</b>	<b>Models</b>	<b>A - Mounting height</b>	<b>H</b>	<b>Models</b>	<b>A - Mounting height</b>	<b>H</b>
	4.00 m Large	2.45 - 2.59 m	-60 cm	301350	Medium	2.30 - 2.44 m	-45 cm	Small	2.15 - 2.29 m	-30 cm
	4.25 m Large			301351	Large	2.45 - 2.59 m	-60 cm	Medium	2.30 - 2.44 m	-45 cm
	4.50 m Large			301352	X-Large	2.60 - 2.74 m	-75 cm	Large	2.45 - 2.59 m	-60 cm
	5.00 m Large			301353	Ducato H2	2.30 - 2.50 m	-45 cm	X-Large	2.60 - 2.74 m	-75 cm
								XX-Large	2.75 - 2.89 m	-75 cm
								XXX-Large	2.90 - 3.10 m	-90 cm



A = Distance between bottom of awning cassette and ground  
H = Awning incline

Weight for a 3.00 m Medium tent: 29.5 kg  
Weight for a 6.00 m Large tent: 35.5 kg

Weight for a 3.00 m Medium tent: 27 kg  
Weight for a 6.00 m X-Large tent: 33.5 kg

NOTE - Front and side panels need to be ordered separately

# Tents - Technical Specifications



New



New



Name	Thule Residence G3 for Ducato   Jumper   Boxer H2	Thule Residence G3 for Eriba Touring	Thule Residence G3 for Volkswagen T5/T6	Thule QuickFit
Stay	Short stay	Short stay	Short stay	Short stay
<b>INSTALLATION</b>				
Motorhome				•
Caravan		• Eriba Touring		•
Van	• Ducato • Jumper • Boxer H2			• Ducato H2
Minivan			• VW T5/T6	
<b>FITS</b>				
Awnings	Thule Omnistor 5200 • 6300	Thule Omnistor 6300	Thule Omnistor 5102 • Original Volkswagen awning	Thule Omnistor 5200 • 8000* • 4900 • 5003 • 5002 • 5500 • 6300 • 9200* • 6200 • 6900* • 6002 • 1200 + other brands
Awning lengths	3.15 - 4.00 m	3.25 m	2.60 m	3.00 - 6.00 m
Mounting heights	2.30 - 2.50 m			2.25 - 2.84 m
Vehicle wall	Curved wall	Curved wall	Curved wall	Straight wall
<b>SPECIFICATIONS</b>				
Maximum tent length	4.00 m	3.25 m	2.60 m	3.60 m
Fabric	PVC fabric	PVC fabric	PVC fabric	RIPSTOP fabric
Colour	Black, grey and white	Black, grey and white	Black, grey and white	Black, grey and white
Curtains	Optional	Optional	Optional	Included
Windslip	Included	Included	Included	Included
Wheelcover	Included	Included	Included	Included
Storage bag	Included	Included	Included	Sport bag

Fits - TO 5200		Model	SKU No	Model	SKU No
Models	SKU No	Eriba Touring	301593	VW T5/T6	301560
3.15 m	310206	Weight: 25 kg		Weight: 21 kg	
3.75 m	301543				
4.00 m	301544				
Fits - TO 6300		Models	SKU No		
3.25 m	301541				
3.75 m	301543				
4.00 m	301544				

For All models  
A - Mounting height:  
2.30 - 2.50 m

Weight for a 3.15 m  
Medium tent: 28.50 kg  
Weight for a 4.00 m  
Medium tent: 33 kg

NOTE - Front and side panels need to be ordered separately

Models	A - Mounting height	H	SKU No
2.60 m Medium	2.25 - 2.44 m	-35 cm	307056
3.10 m Medium			309921
3.60 m Medium			307058
2.60 m Large	2.45 - 2.64 m	-45 cm	307057
3.10 m Large			309922
3.60 m Large			307059
2.60 m X-Large	2.65 - 2.84 m	-65 cm	309920
3.10 m X-Large			309923
3.60 m X-Large			309924
3.00 m Ducato H2	2.30 - 2.50 m	-45 cm	307060

Weight for a 2.60 m Medium tent: 15,7 kg  
Weight for a 3.60 m X-Large tent: 18,4 kg

\*With accessory 307052  
Thule Projection Kit

Technical Specifications

## Rear Wall-mounted Bike Racks - Technical Specifications



Name	Thule Lift V16		Thule Excellent		Thule Elite G2	
	Manual	Motor 12V	Standard	Short	Standard	Short
SKU No	307368	307369	309821 - Anodised 302033 - Black	309822	306560	306561
<b>INSTALLATION</b>						
Motorhome	•	•	•	•	•	•
Caravan	•	•	•	•	•	•
Van						
<b>SPECIFICATIONS</b>						
Finish	Anodised	Anodised	Anodised or Black	Anodised	Anodised	Anodised
Standard number of bikes	2	2	2	2	2	2
Max. number of bikes (optional)	3 (+ 307370)	3 (+ 307370)	4 (+ 309823 + 309824 : ano) (+ 302034 + 302035 : black)	4 (+ 309823 + 309824)	4 (+ 306565 + 309824)	4 (+ 306565 + 309824)
Loading weight	50 kg	50 kg	60 kg	60 kg	60 kg	60 kg
Max. bike weight	30 kg	30 kg	30 kg	30 kg	30 kg	30 kg
Max. bike weight 4 <sup>th</sup> rail	-	-	15 kg	15 kg	15 kg	15 kg
Fits E-bikes	•	•	•	•	•	•
Max tire width	2.75" / 70 mm	2.75" / 70 mm	2.75" / 70 mm	2.75" / 70 mm	2.75" / 70 mm	2.75" / 70 mm
For vertical walls between	70 - 95 cm (+ 307371 : up to 150 cm)	70 - 95 cm (+ 307371 : up to 150 cm)	80 - 150 cm	60 - 80 cm	80 - 150 cm	50 - 80 cm
Product dimensions (L x W x H)	131 x 70 x 95 cm	131 x 70 x 95 cm	131 x 73 x 150 cm	131 x 73 x 80 cm	131 x 74 x 150 cm	131 x 74 x 80 cm
Product weight	17 kg	18.1 kg	10.6 kg	10.6 kg	10.1 kg	9.5 kg
Sliding rails left-right			•	•	•	•
Sliding rails in depth			•	•		
Lockable platform	Manual	Manual	Automatic	Automatic	Manual	Manual
Lockable bike holders	•	•	•	•	•	•
Rail distance (2 bikes)	30 cm	30 cm	20 cm	20 cm	30 cm	30 cm
Rail distance (max. number of bikes)	15 cm	15 cm	15 cm	15 cm	15 cm	15 cm
Wheel mounting	Adjustable wheel holders with pump buckles	Adjustable wheel holders with pump buckles	Adjustable wheel holders with pump buckles	Adjustable wheel holders with pump buckles	Adjustable wheel holders with buckles	Adjustable wheel holders with buckles
One-Key System compatible	•	•	•	•	•	•

## Rear Wall-mounted Bike Racks - Technical Specifications



New



Thule Elite G2 One Bike	Thule Sport G2		Thule Sport G2	Thule Sport G2	Thule Sport G2
	Standard	Short	Tour	Hobby	Universal
302047	307126	307127	306572	307128	306563
<b>INSTALLATION</b>					
•	•	•	•		
•	•	•	•	•	•
<b>SPECIFICATIONS</b>					
Anodised	Anodised	Anodised	Anodised	Anodised	Anodised
1	2	2	2	2	2
1	3 (+ 306577)	3 (+ 306577)	3 (+ 306577)	3 (+ 306577)	2
30 kg	50 kg	50 kg	50 kg	50 kg	38 kg
30 kg	19 kg	19 kg	19 kg	19 kg	19 kg
-	-	-	-	-	-
•	Yes, with accessory 306945				
2.75" / 70 mm	2.1" / 53 mm	2.1" / 53 mm	2.1" / 53 mm	2.1" / 53 mm	2.1" / 53 mm
80 - 150 cm	80 - 150 cm	40 - 70 cm	80 - 150 cm	79 cm	135 - 70 cm
131 x 41 x 150 cm	126 x 65 x 150 cm	126 x 68 x 70 cm	126 x 70 x 150 cm	126 x 65 x 79 cm	126 x 65 x 175 cm
6.7 kg	8.2 kg	7.9 kg	6.8 kg	6.8 kg	8 kg
•	•	•	•	•	•
Manual	Manual	Manual	Manual	Manual	Manual
•	Optional key locks				
-	30 cm	30 cm	30 cm	30 cm	15 cm
-	15 cm	15 cm	15 cm	15 cm	-
Adjustable wheel holders with buckles	Straps	Straps	Straps	Straps	Straps
•	•	•	•	•	•

## A-frame-mounted Bike Racks - Technical Specifications



Name	Thule Caravan Superb		Thule Caravan Superb XT Black		Thule Caravan Smart	Thule Caravan Light
	Standard	Short	Standard	Short		
SKU No	307130	307329	302031	302030	307129	306598
<b>INSTALLATION</b>						
Motorhome						
Caravan	•	•	•	•	•	•
Van						
<b>SPECIFICATIONS</b>						
Finish	Anodised	Anodised	Black	Black	Anodised	Anodised
Standard number of bikes	2	2	2	2	2	2
Max. number of bikes (optional)	3 (+ 307131)	2	3 (+ 302032)	2	2	2
Loading weight	60 kg	60 kg	60 kg	60 kg	50 kg	40 kg
Max. bike weight	30 kg	30 kg	30 kg	30 kg	30 kg	20 kg
Fits E-bikes	•	•	•	•	•	•
Max tire width	2.1" / 53 mm	2.1" / 53 mm	2.75" / 70 mm	2.75" / 70 mm	2.1" / 53 mm	2.1" / 53 mm
Product dimensions (L x W x H)	130 x 57 x 85 cm	130 x 49 x 85 cm	130 x 57 x 85 cm	130 x 49 x 85 cm	130 x 44 x 85 cm	126 x 20 x 68 cm
Product weight	9.7 kg	9.6 kg	10 kg	9.9 kg	8.9 kg	4.7 kg
Sliding rails left-right						
Sliding rails in depth						
Lockable platform	Manual	Manual	Manual	Manual	Manual	
Lockable bike holders	•	•	•	•	•	
Rail distance (2 bikes)	28 cm	20 cm	28 cm	20 cm	15 cm	20 cm
Rail distance (max. number of bikes)	14 cm	-	14 cm	-	-	-
Wheel mounting	Straps	Straps	Adjustable wheel holders with pump buckles	Adjustable wheel holders with pump buckles	Straps	Straps
Tiltable with bikes on	•	•	•	•	•	Partly tiltable (without bikes)
Adjustable Tilt-Stop System	•	•	•	•	•	
Fits short A-frames		•		•	•	
One-Key System compatible	•	•	•	•	•	

## Garage-mounted Bike Racks - Technical Specifications



Name	Thule VeloSlide		Thule Sport G2 Garage
	Standard	Short	
SKU No	302014 + mounting rails	302044 + mounting rails	306574
<b>INSTALLATION</b>			
Motorhome	•	•	•
Caravan			
Van			
<b>SPECIFICATIONS</b>			
Finish	Anodised	Anodised	Anodised
Standard number of bikes	2	2	2
Max. number of bikes (optional)	2	2	4 (+ 306577 + 306578)
Loading weight	70 kg	70 kg	50 kg
Max. bike weight	35 kg	35 kg	19 kg
Max. bike weight 4 <sup>th</sup> rail	-	-	19 kg
Fits E-bikes	•	•	
Max tire width	5" / 127 mm	5" / 127 mm	2.1" / 53 mm
Product dimensions (L x W x H)	195 x 125 x 80 cm	180 x 125 x 80 cm	126 x 66 x 79 cm
Product weight	20.9 kg	19.9 kg	5.6 kg
Sliding rails left-right			•
Sliding rails in depth			
Lockable platform	Automatic	Automatic	
Lockable bike holders	Optional key locks	Optional key locks	Optional key locks
Rail distance (2 bikes)	25 cm	25 cm	30 cm
Rail distance (max. number of bikes)	-	-	15 cm
Wheel mounting	Pump buckles	Pump buckles	Straps

302015 - Mounting Rails: 70 cm  
302016 - Mounting Rails: 140 cm

## Rear Door-mounted Bike Racks - Technical Specifications



New



New



Name	Thule WanderWay		Thule Elite Van XT			Thule Sport G2 Compact
SKU No	911001	307340	302013	302018	302043	307341
<b>INSTALLATION</b>						
Motorhome						
Caravan						
Van		• Fiat Ducato • Peugeot Boxer • Citroën Jumper ≥ 2007		• VW Crafter ≥ 2017	• Mercedes Sprinter > 2006 • VW Crafter 05/2006-2017	•
Minivan	• VW T6					
<b>SPECIFICATIONS</b>						
Finish	Anodised/Black	Anodised	Black	Black	Black	Anodised
Standard number of bikes	2	2	2	2	2	2
Max. number of bikes (optional)	4 (+ 911600 + 911700)	2	2	2	2	2
Loading weight	60 kg	35 kg	35 kg	35 kg	35 kg	35 kg
Max. bike weight	30 kg (2-bikes) – 20 kg (3-bikes)	19 kg	19 kg	19 kg	19 kg	19 kg
Max. bike weight 4 <sup>th</sup> rail	15 kg	-	-	-	-	-
Fits E-bikes	•					
Max tire width	3" / 76 mm	2.75" / 70 mm	2.75" / 70 mm	2.75" / 70 mm	2.75" / 70 mm	2.1" / 53 mm
Product dimensions (L x W x H)	91 x 152 x 111 cm	130 x 55 x 125 cm	130 x 55 x 125 cm	130 x 55 x 125 cm	130 x 55 x 125 cm	126 x 55 x 150 cm
Product weight	13.9 kg	10.5 kg	10.5 kg	10.5 kg	10.5 kg	7.2 kg
Sliding rails left-right	•					
Sliding rails in depth						
Lockable platform	Automatic	Manual	Manual	Manual	Manual	Manual
Lockable bike holders	•	•	•	•	•	Optional key locks
Rail distance (2 bikes)	31 cm	20 cm	20 cm	20 cm	20 cm	20 cm
Rail distance (max. number of bikes)	15 cm	-	-	-	-	-
Wheel mounting	Adjustable wheel holders with pump buckles	Adjustable wheel holders with buckles	Adjustable wheel holders with buckles	Adjustable wheel holders with buckles	Adjustable wheel holders with buckles	Straps
One-Key System compatible	•	•	•	•	•	•



## Roof Rack System - Technical Specifications

Name			
Thule SmartClamp System			
SKU No	301640	301641	301642
INSTALLATION			
Motorhome			
Caravan			
Van	• Fiat Ducato • Peugeot Boxer • Citroën Jumper ≥ 06/2006		
SPECIFICATIONS			
Vehicle size	L2H2 (length: 5.4 m)	L3H2 (length: 6 m)	L4H2 (length: 6.4 m)
Max. load roof rack	150 kg	200 kg	200 kg
Fits awning length	3.25 m	3.75 m	4.00 m
Weight	9 kg	11 kg	12 kg
CONTENT			
Base rails	2 x 2.83 m	2 x 3.44 m	2 x 3.78 m
Smart clamps	6	8	8



Name	Thule ProBar Flex	
	High (set of 2)	Low (set of 2)
SKU No	301647	301648
INSTALLATION		
Motorhome		
Caravan		
Van	•	•
SPECIFICATIONS		
Height (load bar to roof)	13 cm	10 cm
Length	1.50 m	1.50 m
Max. load (per set)	75 kg	75 kg
Weight (per set)	8.3 kg	7.9 kg

Name	
Thule Van Ladder 9 Steps	
SKU No	301404
INSTALLATION	
Motorhome	
Caravan	
Van	•
SPECIFICATIONS	
Steps	9
Max. load	150 kg
Dimensions closed (L x W x H)	49 x 7 x 75 cm
Dimensions open (L x W x H)	49 x 7 x 264 cm
Weight ladder	8.1 kg
Storage bag	•

Name	
Thule Ladder Fixation Kit	
SKU No	301405
INSTALLATION	
Motorhome	
Caravan	
Van	•
SPECIFICATIONS	
Max. load organizers	10 kg
Dimensions (L x W x H)	66 x 10 x 8 cm
Weight	1.2 kg
Storage bag	•

NOTE: includes Thule Ladder Fixation Kit

## Locks - Technical Specifications



Name	Thule Security Handrail		Thule Universal Lock					Thule Inside-Out Lock G2
	Standard	Short						
SKU No	308892	307387	301406	301419	301407	301408	301409	307339
<b>INSTALLATION</b>								
Motorhome	•	•	•	•	•	•	•	•
Caravan	•	•	•	•	•	•	•	•
Van			•	•	•	•	•	
<b>SPECIFICATIONS</b>								
Fits left and right opening doors	•	•	•	•	•	•	•	
Material	Solid powder-coated aluminium		Solid powder-coated aluminium					Solid powder-coated aluminium
Colour	White		White			Black		White
Pack	1 pc	1 pc	1 pc	2 pcs	3 pcs	1 pc	2 pcs	1 pc
Weight/pc (netto)	2.000 kg	1.850 kg	0.540 kg   0.760 kg   0.720 kg (depending on mounting installation)					0.940 kg



Name	Thule Door Lock		Thule Door Frame Lock		Thule Cab Lock		Thule Van Lock		
SKU No	308888	308890	308889	308891	309830	309831	309832	309833	
<b>INSTALLATION</b>									
Motorhome	•	•	•	•	<ul style="list-style-type: none"> <li>• Fiat Ducato &gt; 2007</li> <li>• Citroën Jumper &gt; 2007</li> <li>• Peugeot Boxer &gt; 2007</li> </ul>	<ul style="list-style-type: none"> <li>• Mercedes Sprinter &gt; 2006</li> <li>• VW Crafter &gt; 2006</li> <li>• Renault Master &gt; 2010</li> <li>• Opel Movano &gt; 2010</li> </ul>			
Caravan	•	•	•	•					
Van							•	•	
<b>SPECIFICATIONS</b>									
Fits left and right opening doors	•	•	•	•					
Material	Solid powder-coated aluminium		Solid powder-coated aluminium		Solid lacquered aluminium		Solid powder-coated aluminium		
Colour	White		White		Grey		Black		
Pack	1 pc	3 pcs	1 pc	3 pcs	2 pcs		1 pc	2 pcs	
Weight/pc (netto)	0.850 kg		0.840 kg		1.085 kg	1.355 kg	0.525 kg		

**> Bring your board**  
**Bring your bike**  
**Bring your skis**  
**Bring your gear**  
**Bring your kids**  
**Bring your love**  
**Bring your passion**  
**Bring your dreams**  
**Bring your life**





**Thule nv**

Kortrijkstraat 343 - BE - 8930 Mene  
+32 56 52 88 99 - InfoRV@thule.com  
[www.thule.com](http://www.thule.com)

**302572 - EN** - Local variations in product range may occur and products may be subject to change without further notice. With reservation against possible mistakes in the contents of the catalogue. Concept + graphic design: Herve Marnard. Photography: Bram Declercq, South Side Agency, David Meignan, Eleonora Raugi, Tobias Ilseker, Fabienne Nury. Print: De Maertelaere bvba.

